

DEB papers by year

Period 1979–1992

- [1] S. A. L. M. Kooijman and J. A. J. Metz. On the dynamics of chemically stressed populations; the deduction of population consequences from effects on individuals. *Ecotox. Environ. Saf.*, 8:254–274, 1984. .
- [2] S. A. L. M. Kooijman, K. de Raat, and M. I. Willems. Ames test modeling. *Mutations Research*, 130:217, 1984.
- [3] S. A. L. M. Kooijman. Toxicity at population level. In J. Cairns, editor, *Multispecies toxicity testing.*, pages 143–164. Pergamon Press, New York, 1985. .
- [4] S. A. L. M. Kooijman. Toxiciteit op populatie niveau. *Vakblad voor Biol.*, 23:163–185, 1985.
- [5] S. A. L. M. Kooijman. Nutriënten- en energiehuishouding bij dieren en micro-organismen. *Toegepaste Wetenschappen*, 1(1):44–47, 1985. .
- [6] S. A. L. M. Kooijman. Population dynamics on the basis of budgets. In J. A. J. Metz and O. Diekmann, editors, *The dynamics of physiologically structured populations.*, Springer Lecture Notes in Biomathematics., pages 266–297. Springer-Verlag, Berlin, 1986. .
- [7] S. A. L. M. Kooijman. Energy budgets can explain body size relations. *J. Theor. Biol.*, 121:269–282, 1986. .
- [8] S. A. L. M. Kooijman. What the hen can tell about her egg; egg development on the basis of budgets. *J. Math. Biol.*, 23:163–185, 1986. .
- [9] S. A. L. M. Kooijman, A. O. Hanstveit, and N. van der Hoeven. Research on the physiological basis of population dynamics in relation to ecotoxicology. *Wat. Sci. Tech.*, 19:21–37, 1987.
- [10] S. A. L. M. Kooijman. Kwantitatieve bioenergetika. *SWIM*, 3(1):2–6, 1988.
- [11] S. A. L. M. Kooijman. Strategies in ecotoxicological research. *Environ. Aspects Appl. Biol.*, 17(1):11–17, 1988. .
- [12] S. A. L. M. Kooijman. The von Bertalanffy growth rate as a function of physiological parameters; a comparative analysis. In T. G. Hallam, L. J. Gross, and S. A. Levin, editors, *Mathematical ecology.*, pages 3–45. World Scientific, Singapore, 1988. .
- [13] E. Evers and S. A. L. M. Kooijman. Feeding and oxygen consumption in *Daphnia magna*; a study in energy budgets. *Neth. J. Zool.*, 39:56–78, 1989.
- [14] T. G. Hallam, R. R. Lassiter, and S. A. L. M. Kooijman. Effects of toxicants on aquatic populations. In S. A. Levin, T. G. Hallam, and L. F. Gross, editors, *Mathematical ecology.*, pages 352–382. Springer, London, 1989. .
- [15] S. A. L. M. Kooijman. Vermindering van slibproductie. *H₂O*, 22(22):684, 1989.
- [16] S. A. L. M. Kooijman, N. van der Hoeven, and D. C. van der Werf. Population consequences of a physiological model for individuals. *Funct. Ecol.*, 3:325–336, 1989. .
- [17] R. M. Nisbet, W. S. C. Gurney, W. W. Murdoch, and E. McCauley. Structured population models: a tool for linking effects at individual and population level. *Biological Journal of the Linnean Society*, 37:79–99, 1989.
- [18] C. Zonneveld and S. A. L. M. Kooijman. Application of a general energy budget model to *Lymnaea stagnalis*. *Funct. Ecol.*, 3:269–278, 1989. .
- [19] W. S. C. Gurney, E. McCauley, R. M. Nisbet, and W. W. Murdoch. The physiological ecology of *Daphnia*: a dynamic model of growth and reproduction. *Ecology*, 71:716–732, 1990.
- [20] R. J. F. van Haren and S. A. L. M. Kooijman. Feeding history affects xenobiotics accumulation in the marine mussel *Mytilus edulis*: Model development. In D. A. Holwerda, editor, *Physiological and biochemical approaches to the toxicological assessment of environmental pollution.*, pages P1–26, 1990.
- [21] S. A. L. M. Kooijman and R. J. F. van Haren. Animal energy budgets affect the kinetics of xenobiotics. *Chemosphere*, 21:681–693, 1990.
- [22] E. McCauley, W. W. Murdoch, and R. M. Nisbet. Growth, reproduction, and mortality of *Daphnia pulex* Leydig: life at low food. *Funct. Ecol.*, 4:505–514, 1990.
- [23] E. McCauley, W. W. Murdoch, R. M. Nisbet, and W. S. C. Gurney. The physiological ecology of daphnia: Development of a model of growth and reproduction. *Ecology*, 71:703–715, 1990.
- [24] A. H. Ross and R. M. Nisbet. Dynamic models of growth and reproduction of the mussel *Mytilus edulis* L. *Funct. Ecol.*, 4:777–787, 1990.
- [25] A. G. Evers. A model for light-limited continuous cultures: growth, shading and maintenance. *Biotechn. Bioeng.*, 38:254–259, 1991.
- [26] A. G. Evers. *Growth, starvation and storage in micro-organisms*. PhD thesis, Vrije Universiteit, Amsterdam, January 1991.
- [27] S. A. L. M. Kooijman. Effects of feeding conditions on toxicity for the purpose of extrapolation. *Comp. Biochem. Physiol.*, 100c(1/2):305–310, 1991. .
- [28] S. A. L. M. Kooijman. Oecotoxicologische risico-evaluatie. In N. M. van Straalen and J. A. C. Verkleij, editors, *Leerboek Oecotoxicologie.*, pages 348–356. VU Uitgeverij, Amsterdam, 1991.
- [29] S. A. L. M. Kooijman, E. B. Muller, and A. H. Stouthamer. Microbial dynamics on the basis of individual budgets. *Antonie van Leeuwenhoek*, 60:159–174, 1991. .
- [30] R. M. Nisbet, E. McCauley, A. M. de Roos, W. W. Murdoch, and W. S. C. Gurney. Population dynamics and element recycling in an aquatic plant-herbivore system. *Theor. Pop. Biol.*, 40:125–147, 1991.
- [31] R. J. F. van Haren and E. M. L. Hendrikx. Population dynamic models of potato cyst nematodes based on dynamic energy budgets. *Nematologica*, 38:414, 1992.
- [32] S. A. L. M. Kooijman. Biomass conversion at population level. In D. L. DeAngelis and L. J. Gross, editors, *Individual based models; an approach to populations and communities.*, pages 338–358. Chapman & Hall, 1992. .
- [33] C. H. Ratsak, S. A. L. M. Kooijman, A. H. Stouthamer, and H. W. van Verseveld. Bacterivorous grazers: A way to reduce sludge-production. In *Proceedings of the First Dutch-Japanese Workshop on the Treatment of Municipal Waste Water.*, pages 92–103, Heelsum, April 1992. RIZA, STOWA, TUD, RWZI-two-thousand.

- [34] J. van Wensem. *Isopods and pollutants in decomposing leaf litter*. PhD thesis, Vrije Universiteit, Amsterdam, September 1992.
- [35] C. Zonneveld. *Animal energy budgets: a dynamic approach*. PhD thesis, Vrije Universiteit, Amsterdam, December 1992.
- ## Period 1993–1999
- [36] M. H. Donker, C. Zonneveld, and N. M. van Straalen. Early reproduction and increased reproductive allocation in metal-adapted populations of the terrestrial isopod *Porcellio scaber*. *Oecologia*, 96:316–323, 1993.
- [37] D. H. Eikelboom, A. H. Stouthamer, H. B. van Verseveld, and E. B. Muller. High performance bioreactor: A physiological approach to wastewater treatment with zero sludge production by complete sludge retention. Technical Report IMW-P 93/051, TNO, October 1993. Japan-Netherlands Workshop on integrated water management.
- [38] G. Ernsting, C. Zonneveld, J. A. Isaaks, and A. Kroon. Size at maturity and patterns of growth and reproduction in an insect with indeterminate growth. *Oikos*, 66:17–26, 1993.
- [39] J. A. Hoekstra. *Statistics in ecotoxicology. Quantifying the biological effects of chemicals*. PhD thesis, Vrije Universiteit, Amsterdam, November 1993.
- [40] R. J. F. van Haren and S. A. L. M. Kooijman. Application of the dynamic energy budget model to *Mytilus edulis* (L). *Neth. J. Sea Res.*, 31:119–133, 1993. .
- [41] S. A. L. M. Kooijman. *Dynamic energy budgets in biological systems. Theory and applications in ecotoxicology*. Cambridge University Press, 1993. .
- [42] L. Posthuma, R. A. Verweij, B. Widianarko, and C. Zonneveld. Life-history patterns in metal-adapted *Collembola*. *Oikos*, 67:235–249, 1993.
- [43] C. H. Ratsak, S. A. L. M. Kooijman, and B. W. Kooi. Modelling of growth of an oligochaete on activated sludge. *Water Res.*, 27:739–747, 1993. .
- [44] C. Zonneveld and S. A. L. M. Kooijman. Comparative kinetics of embryo development. *Bull. Math. Biol.*, 3:609–635, 1993. .
- [45] C. Zonneveld and S. A. L. M. Kooijman. Body temperature affects the shape of avian growth curves. *J. Biol. Syst.*, 1:363–374, 1993. .
- [46] J. J. M. Bedaux and S. A. L. M. Kooijman. Statistical analysis of bioassays, based on hazard modeling. *Environ. & Ecol. Stat.*, 1:303–314, 1994. .
- [47] J. J. M. Bedaux and S. A. L. M. Kooijman. Stochasticity in deterministic models. In C. R. Rao, G. P. Patil, and N. P. Ross, editors, *Handbook of statistics 12: Environmental statistics*, pages 561–581. Elsevier Science B. V., Amsterdam, 1994. .
- [48] J. J. M. Bedaux and S. A. L. M. Kooijman. Statistical analysis of bioassays, based on hazard modeling. Abstract, 1994. The XVIIth International Biometric Conference, Hamilton, Canada & Conference on Environmetrics, Burlington, Canada.
- [49] A. H. de Boer, G. W. van der Molen, H. B. A. Prins, H. A. A. J. Korthout, and P. C. J. van der Hoeven. Aluminium fluoride and magnesium, activators of heterotrimeric GTP-binding proteins, affect high-affinity binding of the fungal toxin fusicochin to the fusicochin-binding protein in oat root plasma membranes. *Eur. J. Biochem.*, 219:1023–1029, 1994.
- [50] R. J. F. van Haren, E. M. L. Hendrix, and H. J. Atkinson. Growth curve analysis of sedentary plant parasitic nematodes in relation to plant resistance and tolerance. In J. Grasman and G. van Straten, editors, *Predictability and Nonlinear Modelling in Natural Sciences and Economics.*, pages 172–183. Kluwer Academic Publishers, Dordrecht, 1994.
- [51] R. J. F. van Haren, H. E. Schepers, and S. A. L. M. Kooijman. Dynamic energy budgets affect kinetics of xenobiotics in the marine mussel *Mytilus edulis*. *Chemosphere*, 29:163–189, 1994. .
- [52] M. Konarzewski and S. A. L. M. Kooijman. Models for growth in precocial and altricial birds. *J. Ornith.*, 135(3):324, 1994.
- [53] B. W. Kooi and S. A. L. M. Kooijman. Existence and stability of microbial prey–predator systems. *J. Theor. Biol.*, 170:75–85, 1994. .
- [54] B. W. Kooi and S. A. L. M. Kooijman. The transient behaviour of food chains in chemostats. *J. Theor. Biol.*, 170:87–94, 1994. .
- [55] B. W. Kooi, H. W. van Verseveld, and S. A. L. M. Kooijman. Fundamenteel onderzoek verminderende slibproductie. Technical Report RWZI-two-thousand 94-03, STOWA, 1994.
- [56] S. A. L. M. Kooijman. Individual based population modelling. In J. Grasman and G. van Straten, editors, *Predictability and Nonlinear Modelling in Natural Sciences and Economics.*, pages 232–247. Kluwer Academic Publishers, Dordrecht, 1994.
- [57] S. A. L. M. Kooijman. Effects of temperature on birds. In E. J. M. Hagemeyer and T. J. Verstrael, editors, *Bird Numbers 1992. Distribution, monitoring and ecological aspects.*, pages 285–290. Statistics Netherlands, Voorburg/Heerlen, 1994.
- [58] S. A. L. M. Kooijman, B. W. Kooi, H. W. van Verseveld, C. H. Ratsak, E. B. Muller, and D. H. Eikelboom. Afvalwater zuiveren zonder slib te produceren. *Land + Water*, 8:61–64, 1994. .
- [59] E. B. Muller. *Bacterial energetics in aerobic wastewater treatment*. PhD thesis, Vrije Universiteit, Amsterdam, 1994.
- [60] C. H. Ratsak. *Grazer induced sludge reduction in wastewater treatment*. PhD thesis, Vrije Universiteit, Amsterdam, 1994.
- [61] C. H. Ratsak, B. W. Kooi, and H. W. van Verseveld. Biomass reduction and mineralization increase due to the ciliate *Terahymena pyriformis* grazing on the bacterium *Pseudomonas fluorescens*. *Wat. Sci. Tech.*, 29:119–128, 1994. .
- [62] J. A. G. M. de Visser, A. ter Maat, and C. Zonneveld. Energy budgets and reproductive allocation in the simultaneous hermaphrodite pond snail, *Lymnaea stagnalis* (L.): A trade-off between male and female function. *Am. Nat.*, 144:861–867, 1994. .
- [63] R. J. F. van Haren. *Application of Dynamic Energy Budgets to xenobiotic kinetics in Mytilus edulis and population dynamics of Globodera pallida*. PhD thesis, Vrije Universiteit, Amsterdam, June 1995.
- [64] E. B. Muller, A. H. Stouthamer, and H. W. van Verseveld. Simultaneous NH₃ oxidation and N₂ production at reduced O₂ tensions by sewage sludge subcultured with chemolithotrophic medium. *Biodegradation*, 6:339–349, 1995.

- [65] E. B. Muller, A. H. Stouthamer, and H. W. van Verseveld. A novel method to determine maximum nitrification rates by sewage sludge at a non-inhibitory nitrite concentration applied to determine maximal rates as a function of the nitrogen load. *Water Res.*, 29:1191–1197, 1995. .
- [66] B. W. Kooi and M. P. Boer. Discrete and continuous time population models, a comparison concerning proliferation by fission. *J. Biol. Systems*, 3:543–558, 1995. .
- [67] B. W. Kooi and S. A. L. M. Kooijman. Many limiting behaviours in microbial food chains. In O. Arino, M. Kimmel, and D. Axelrod, editors, *Mathematical Population Dynamics.*, Biological Systems, pages 131–148, Wuerz Publ, Winnipeg, Canada, 1995. .
- [68] S. A. L. M. Kooijman. The stoichiometry of animal energetics. *J. Theor. Biol.*, 177:139–149, 1995. .
- [69] C. H. Ratsak, B. W. Kooi, and S. A. L. M. Kooijman. Modelling the individual growth of *Tetrahymena* sp. and its population consequences. *J. Eukaryotic Microbiol.*, 42:268–276, 1995. .
- [70] K. Vink, L. Dewi, J. J. M. Bedaux, A. Tompot, M. Hermans, and N. M. van Straalen. The importance of the exposure route when testing the toxicity of pesticides to saprotrophic isopods. *Environ. Toxicol. Chem.*, 14:1225–1232, 1995.
- [71] W. S. C. Gurney, D. A. J. Middleton, R. M. Nisbet, E. McCauley, W. W. Murdoch, and A. M. de Roos. Individual energetics and the equilibrium demography of structured populations. *Theoretical Population Biology*, 49:344–368, 1996.
- [72] S. A. L. M. Kooijman and J. J. M. Bedaux. *The analysis of aquatic toxicity data.* VU University Press, Amsterdam, 1996. .
- [73] S. A. L. M. Kooijman. An alternative for NOEC exists, but the standard model has to be replaced first. *Oikos*, 75:310–316, 1996. .
- [74] S. A. L. M. Kooijman and J. J. M. Bedaux. Some statistical properties of estimates of no-effects concentrations. *Water Res.*, 30:1724–1728, 1996. .
- [75] S. A. L. M. Kooijman and J. J. M. Bedaux. Analysis of toxicity tests on *Daphnia* survival and reproduction. *Water Res.*, 30:1711–1723, 1996. .
- [76] S. A. L. M. Kooijman and J. J. M. Bedaux. Analysis of toxicity tests on fish growth. *Water Res.*, 30:1633–1644, 1996. .
- [77] S. A. L. M. Kooijman, J. J. M. Bedaux, and W. Slob. No-effect concentration as a basis for ecological risk assessment. *Risk Analysis*, 16:445–447, 1996. .
- [78] S. A. L. M. Kooijman, A. O. Hanstveit, and N. Nyholm. No-effect concentrations in alga growth inhibition tests. *Water Res.*, 30:1625–1632, 1996. .
- [79] S. A. L. M. Kooijman and B. W. Kooi. Catastrophic behaviour of myxamoebae. *Nonlin. World*, 3:77–83, 1996. .
- [80] S. A. L. M. Kooijman, B. W. Kooi, and M. P. Boer. Rotifers do it with delay. the behaviour of reproducers vs dividers in chemostats. *Nonlin. World*, 3:107–128, 1996. .
- [81] E. McCauley, R. M. Nisbet, A. M. de Roos, W. W. Murdoch, and W. S. C. Gurney. Structured population models of herbivorous zooplankton. *Ecological Monographs*, 66:479–501, 1996.
- [82] G. W. van der Molen, S. A. L. M. Kooijman, and W. Slob. A generic toxicokinetic model for persistent lipophilic compounds in humans: an application to TCDD. *Fundam. Appl. Toxicol.*, 31:83–94, 1996. .
- [83] G. W. van der Molen, S. A. L. M. Kooijman, and W. Slob. A human toxicokinetic model for dioxin. *Organohalogen Compounds*, 29:394–399, 1996.
- [84] R. M. Nisbet, A. H. Ross, and A. J. Brooks. Empirically-based dynamic energy budget models: theory and application to ecotoxicology. *Nonlinear World*, 3:85–106, 1996.
- [85] C. H. Ratsak, K. A. Maarsen, and S. A. L. M. Kooijman. Effects of protozoa on carbon mineralization in activated sludge. *Water Res.*, 30:1–12, 1996. .
- [86] C. Zonneveld. Modelling the kinetics of non-limiting nutrients in microalgae. *J. Mar. Syst.*, 9:121–136, 1996. .
- [87] P. P. F. Hanegraaf. *Mass and energy fluxes in micro-organisms according to the Dynamic Energy Budget theory for filaments.* PhD thesis, Vrije Universiteit, Amsterdam, 1997.
- [88] B. W. Kooi, M. P. Boer, and S. A. L. M. Kooijman. Mass balance equation versus logistic equation in food chains. *J. Biol. Syst.*, 5(1):77–85, 1997. .
- [89] B. W. Kooi, M. P. Boer, and S. A. L. M. Kooijman. Complex dynamic behaviour of autonomous microbial food chains. *Journal of Mathematical Biology*, 36:24–40, 1997. .
- [90] B. W. Kooi and S. A. L. M. Kooijman. Population dynamics of rotifers in chemostats. *Nonlin. Analysis, Theory, Methods & Applications*, 30(3):1687–1698, 1997. .
- [91] S. A. L. M. Kooijman. Process-oriented descriptions of toxic effects. In G. Schüürmann and B. Markert, editors, *Ecotoxicology.*, pages 483–519. Spektrum Akademischer Verlag, 1997. .
- [92] S. A. L. M. Kooijman and J. J. M. Bedaux. Toxic effects on survival, growth and reproduction; a new approach. *Newsletter Netherlands Centre Alternatives to Animal Use*, 4:11–12, 1997. .
- [93] E. B. Muller and R. M. Nisbet. Modeling the effect of toxicants on the parameters of dynamic energy budget models. In F. J. Dwyer, T. R. Doane, and M. L. Hinman, editors, *Environmental Toxicology and Risk Assessment: Modeling and Risk Assessment.*, volume 6, pages 71–81. American Society for Testing and Materials., 1997.
- [94] R. M. Nisbet, E. McCauley, W. S. C. Gurney, W. W. Murdoch, and A. M. de Roos. Simple representations of biomass dynamics in structured populations. In H. G. Othmer, F. R. Adler, M. A. Lewis, and J. C. Dallon, editors, *Case Studies in Mathematical Modeling Ecology, Physiology, and Cell Biology*, pages 61–79. Prentice Hall, Upper Saddle River, New Jersey, 1997.
- [95] R. M. Nisbet, E. B. Muller, A. J. Brooks, and P. Hosseini. Models relating individual and population response to contaminants. *Environmental Modeling and Assessment*, 2:7–12, 1997.
- [96] A. M. de Roos, E. McCauley, R. M. Nisbet, W. S. C. Gurney, and W. W. Murdoch. What individual life histories can (and cannot) tell about population dynamics. *Aquatic Ecology*, 31:37–45, 1997.
- [97] C. Zonneveld. Modeling effects of photoadaptation on the photosynthesis-irradiance curve. *J. Theor. Biol.*, 186:381–388, 1997. .

- [98] C. Zonneveld, H. A. van den Berg, and S. A. L. M. Kooijman. Modeling carbon cell quota in light-limited phytoplankton. *J. Theor. Biol.*, 188:215–226, 1997. .
- [99] M. P. Boer, B. W. Kooi, and S. A. L. M. Kooijman. Food chain dynamics in the chemostat. *Math. Biosci.*, 150:43–62, 1998. .
- [100] M. Konarzewski, S. A. L. M. Kooijman, and R. E. Ricklefs. Models for growth. In J. M. Starck and R. E. Ricklefs, editors, *Avian growth and development.*, pages 340–365. Oxford University Press, 1998. .
- [101] B. W. Kooi, M. P. Boer, and S. A. L. M. Kooijman. On the use of the logistic equation in food chains. *Bull. Math. Biol.*, 60:231–246, 1998. .
- [102] B. W. Kooi, M. P. Boer, and S. A. L. M. Kooijman. Consequences of population models on the dynamics of food chains. *Math. Biosci.*, 153:99–124, 1998. .
- [103] S. A. L. M. Kooijman. The synthesizing unit as model for the stoichiometric fusion and branching of metabolic fluxes. *Biophys. Chem.*, 73:179–188, 1998. .
- [104] S. A. L. M. Kooijman. The dynamic energy budget model. In *Report of the OECD Workshop on Statistical Analysis of Aquatic Toxicity Data.*, volume 10 of *OECD Environmental Health and Safety Publications*, pages 91–98. OECD, 1998. .
- [105] S. A. L. M. Kooijman, J. J. M. Bedaux, A. A. M. Gerritsen, H. Oldersma, and A. O. Hanstveit. Dynamic versus static measures for ecotoxicity. In M. C. Newman and C. Strojan, editors, *Risk Assessment: Logic and Measurement.*, pages 187–224. Ann Arbor Press, 1998. .
- [106] G. W. van der Molen. *A physiologically-based mathematical model for the long-term kinetics of dioxins and furans in humans.* PhD thesis, Vrije Universiteit, Amsterdam, 1998. .
- [107] E. G. Noonburg, R. M. Nisbet, E. McCauley, W. S. C. Gurney, W. W. Murdoch, and A. M. de Roos. Experimental testing of dynamic energy budget models. *Functional Ecology*, 12:211–222, 1998. .
- [108] C. H. Ratsak. Biologische slibvermindering: een duurzame technologie? *H₂O*, 14:19–21, 1998. .
- [109] C. Zonneveld. Photoinhibition as affected by photoacclimation in phytoplankton: a model approach. *J. Theor. Biol.*, 193:115–123, 1998. .
- [110] C. Zonneveld. Light-limited microalgal growth: a comparison of modeling approaches. *Ecol. Modell.*, 113:41–54, 1998. .
- [111] C. Zonneveld. A cell-based model for the chlorophyll ‘a’ to carbon ratio in phytoplankton. *Ecol. Modell.*, 113:55–70, 1998. .
- [112] R. J. Bijlsma. *Modelling whole-plant metabolism of carbon and nitrogen: a basis for comparative plant ecology and morphology.* PhD thesis, Vrije Universiteit, Amsterdam, 1999. .
- [113] M. P. Boer, B. W. Kooi, and S. A. L. M. Kooijman. Homoclinic and heteroclinic orbits in a tri-trophic food chain. *J. Math. Biol.*, 39:19–38, 1999. .
- [114] B. W. Kooi, M. P. Boer, and S. A. L. M. Kooijman. Resistance of a food chain to invasion by a top predator. *Math. Biosci.*, 157:217–236, 1999. .
- [115] B. W. Kooi and S. A. L. M. Kooijman. Discrete event versus continuous approach to reproduction in structured population dynamics. *Theor. Pop. Biol.*, 56:91–105, 1999. .
- [116] S. A. L. M. Kooijman, B. W. Kooi, and T. G. Hallam. The application of mass and energy conservation laws in physiologically structured population models of heterotrophic organisms. *J. Theor. Biol.*, 197:371–392, 1999. .

Period 2000–2009

- [117] J. S. Andersen, J. J. M. Bedaux, S. A. L. M. Kooijman, and H. Holst. The influence of design parameters on statistical inference in non-linear estimation; a simulation study based on survival data and hazard modelling. *Journal of Agricultural, Biological and Environmental Statistics*, 5:323–341, 2000. .
- [118] R. J. Bijlsma, H. Lambers, and S. A. L. M. Kooijman. A dynamics whole-plant model of integrated metabolism of nitrogen and carbon. 1. comparative ecological implications of ammonium-nitrate interactions. *Plant and Soil*, 220:49–69, 2000. .
- [119] R. J. Bijlsma and H. Lambers. A dynamics whole-plant model of integrated metabolism of nitrogen and carbon. 2. balanced growth driven by C fluxes and regulated by signals from C and N substrate. *Plant and Soil*, 220:71–87, 2000. .
- [120] M. P. Boer. *The dynamics of tri-trophic food chains.* PhD thesis, Vrije Universiteit, Amsterdam, 2000. .
- [121] B. W. Brandt and S. A. L. M. Kooijman. Two parameters account for the flocculated growth of microbes in biodegradation assays. *Biotech. & Bioeng.*, 70:677–684, 2000. .
- [122] P. P. F. Hanegraaf, B. W. Kooi, and S. A. L. M. Kooijman. The role of intracellular components in food chain dynamics. *C. R. Acad. Sci. Ser. III*, 323:99–111, 2000. .
- [123] P. P. F. Hanegraaf, A. H. Stouthamer, and S. A. L. M. Kooijman. A mathematical model for yeast respiro-fermentative physiology. *Yeast*, 16:423–437, 2000. .
- [124] F. D. L. Kelpin, M. Kirkilionis, and B. W. Kooi. Numerical analysis and parameter estimation of a structured population model with discrete events in the life history. *J. Theor. Biol.*, 207:217–230, 2000. .
- [125] B. W. Kooi and S. A. L. M. Kooijman. Invading species can stabilize simple trophic systems. *Ecological Modelling*, 133:57–72, 2000. .
- [126] S. A. L. M. Kooijman. *Dynamic Energy and Mass Budgets in Biological Systems.* Cambridge University Press, 2000. .
- [127] S. A. L. M. Kooijman and J. J. M. Bedaux. Dynamic effects of compounds on animal energetics and their population consequences. In J. E. Kamenga and R. Laskowski, editors, *Demography in Ecotoxicology.*, pages 27–41. Wiley, 2000. .
- [128] S. A. L. M. Kooijman and R. M. Nisbet. How light and nutrients affect life in a closed bottle. In S. E. Jørgensen, editor, *Thermodynamics and ecological modelling.*, pages 19–60. CRC Publ., Boca Raton, FL, USA, 2000. .

- [129] K. Lika and R. M. Nisbet. A dynamic energy budget model based on partitioning of net production. *J. Math. Biol.*, 41:361–386, 2000.
- [130] G. W. van der Molen, S. A. L. M. Kooijman, J. Wittsiepe, P. Schrey, , D. Flesch-Janys, and W. Slob. Estimation of dioxin and furan elimination rates from cross-sectional data using a pharmacokinetic model. *J. Exposure Analysis & Environ. Epidemiology*, 10:579–585, 2000.
- [131] Muller E.B. and Nisbet R. M. Survival and production in variable resource environments. *Bulletin of Mathematical Biology*, 62:1163–1189, 2000.
- [132] R. M. Nisbet, E. B. Muller, K. Lika, and S. A. L. M. Kooijman. From molecules to ecosystems through dynamic energy budget models. *J. Anim. Ecol.*, 69:913–926, 2000. .
- [133] M. P. Boer, B. W. Kooi, and S. A. L. M. Kooijman. Multiple attractors and boundary crises in a tri-trophic food chain. *Mathematical Biosciences*, 169(2):109–128, 2001. .
- [134] P. P. F. Hanegraaf, B. W. Brandt, and S. A. L. M. Kooijman. Final report on the project DEBdeg “realistic characterizations of the biodegradation of compounds” prepared for stw. Technical report, Vrije Universiteit, Amsterdam, March 14 2001.
- [135] P. P. F. Hanegraaf and Muller E. B. The dynamics of the macromolecular composition of biomass. *J. theor. Biol.*, 212:237–251, 2001.
- [136] M. de Jong-Brink. Parasites make use of multiple strategies to change energy budgetting in their host. In H. J. Th. et al Goos, editor, *Perspective in Comparative Endocrinology: Unity and Diversity*. Monduzzi Editore, International Proceedings Division., 2001.
- [137] B. W. Kooi and M. P. Boer. Bifurcations in ecosystem models and their biological interpretation. *Applicable Analysis*, 77:29–59, 2001. .
- [138] B. W. Kooi, T. G. Hallam, F. D. L. Kelpin, C. M. Krohn, and S. A. L. M. Kooijman. Iteroparous reproduction strategies and population dynamics. *Bull. Math. Biol.*, 63:769–794, 2001. .
- [139] B. W. Kooi and P. P. F. Hanegraaf. Bi-trophic food chain dynamics with multiple component populations. *Bull. Math. Biol.*, 63:271–299, 2001. .
- [140] S. A. L. M. Kooijman. Quantitative aspects of metabolic organization; a discussion of concepts. *Phil. Trans. R. Soc. B*, 356:331–349, 2001. .
- [141] I. M. M. van Leeuwen and C. Zonneveld. From exposure to effect: a comparison of modeling approaches to chemical carcinogenesis. *Mutation Research*, 489:17–45, 2001. .
- [142] E. B. Muller, R. M. Nisbet, S. A. L. M. Kooijman, J. J. Elser, and E. McCauley. Stoichiometric food quality and herbivore dynamics. *Ecol. Letters*, 4:519–529, 2001. .
- [143] A. R. R. Péry, J. J. M. Bedaux, C. Zonneveld, and S. A. L. M. Kooijman. Analysis of bioassays with time-varying concentrations. *Water Res.*, 35:3825–3832, 2001. .
- [144] C. H. Ratsak. Effects of *Nais elinguis* on the performance of an activated sludge plant. *Hydrobiologia*, 463:217–222, 2001. .
- [145] J. S. Ren and A. H. Ross. A dynamic energy budget model of the pacific oyster *Crassostrea gigas*. *Ecol. Modell.*, 142:105–120, 2001.
- [146] P. Schliekelman and S. P. Ellner. Egg size evolution and energetic constraints on population dynamics. *Theor. Pop. Biol.*, 3:373–381, 2001.
- [147] H. W. van der Veer, S. A. L. M. Kooijman, and J. Van der Meer. Intra- and interspecific comparison of energy flow in north atlantic flatfish species by means of dynamic energy budgets. *J. Sea Research*, 45:303–320, 2001. .
- [148] H. A. Beadman, R. I. Willows, and M. J. Kaiser. Potential applications of mussel modelling. *Helgol. Mar. Res.*, 56:76–85, 2002.
- [149] V. Bonnomet, C. Duboudin, H. Magaud, E. Thybaud, E. Vindimian, and B. Beauzamy. Modeling explicitly and mechanistically median lethal concentration as a function of time for risk assessment. *Environ. Tox. Chem.*, 21:2252–2259, 2002.
- [150] B. W. Brandt. *Realistic characterizations of biodegradation*. PhD thesis, Vrije Universiteit, Amsterdam, 2002. .
- [151] D. P. Dougherty, F. Breidt, R. F. McFeeters, and S. R. Lubkin. Energy-based dynamic model for variable temperature batch fermentation by *Lactococcus lactis*. *Appl. Environ. Microbiol.*, 68:2468–2478, 2002.
- [152] P. P. F. Hanegraaf and B. W. Kooi. The dynamics of a tri-trophic food chain with two-component populations from a biochemical perspective. *Ecol. Modell.*, 152:47–64, 2002. .
- [153] B. W. Kooi. Time scale separation in ecosystem dynamics; final report of van gogh project vgp 62-550. Technical report, Dept. Theor. Biol. VU, Amsterdam, 2002. .
- [154] B. W. Kooi, L. D. J. Kuijper, M. P. Boer, and S. A. L. M. Kooijman. Numerical bifurcation analysis of a tri-trophic food web with omnivory. *Math. Biosci.*, 177:201–228, 2002. .
- [155] B. W. Kooi, J. C. Poggiale, P. Auger, and S. A. L. M. Kooijman. Aggregation methods in food chains with nutrient recycling. *Ecological Modelling*, 157:69–86, 2002. .
- [156] S. A. L. M. Kooijman, H. A. Dijkstra, and B. W. Kooi. Light-induced mass turnover in a monospecies community of mixotrophs. *J. Theor. Biol.*, 214:233–254, 2002. .
- [157] I. M. M. van Leeuwen, F. D. L. Kelpin, and S. A. L. M. Kooijman. A mathematical model that accounts for the effects of caloric restriction on body weight and longevity. *Biogerontology*, 3:373–381, 2002. .
- [158] A. R. R. Péry, P. Flammarion, B. Vollat, J. J. M. Bedaux, S. A. L. M. Kooijman, and J. Garric. Using a biology-based model (DEBtox) to analyse bioassays in ecotoxicology: Opportunities & recommendations. *Environ. Toxicol. Chem.*, 21:459–465, 2002. .
- [159] A. R. R. Péry, R. Mons, P. Flammarion, L. Lagadic, and J. Garric. A modeling approach to link food availability, growth, emergence, and reproduction for the midge *Chironomus riparius*. *Environ. Toxicol. Chem.*, 21:2507–2513, 2002.
- [160] K. W. Shertzer and S. P. Ellner. State-dependent energy allocation in variable environments: Life history evolution of a rotifer. *Ecol.*, 83:2181–2193, 2002.

- [161] B. W. Brandt, I. M. M. van Leeuwen, and S. A. L. M. Kooijman. A general model for multiple substrate biodegradation. application to cometabolism of non structurally analogous compounds. *Water Res.*, 37:4843–4854, 2003. .
- [162] W. Gurney, W. S. C. and Jones, A. R. Veitch, and R. M. Nisbet. Resource allocation, hyperphagia and compensatory growth in juveniles. *Ecology*, 84:2777–2787, 2003.
- [163] B. W. Kooi. Numerical bifurcation analysis of ecosystems in a spatially homogeneous environment. *Acta Biotheoretica*, 51:189–222, 2003. .
- [164] B. W. Kooi and M. P. Boer. Chaotic behaviour of a predator-prey system. *Dynamics of Continuous, Discrete and Impulsive Systems, Series B: Applications and Algorithms*, 10:259–272, 2003. .
- [165] B. W. Kooi and F. D. L. Kelpin. Structured population dynamics, a modeling perspective. *Comments on Theoretical Biology*, 8:125–168, 2003. .
- [166] S. A. L. M. Kooijman, P. Auger, J. C. Poggiale, and B. W. Kooi. Quantitative steps in symbiogenesis and the evolution of homeostasis. *Biol. Reviews*, 78:435–463, 2003. .
- [167] L. D. J. Kuijper, B. W. Kooi, C. Zonneveld, and S. A. L. M. Kooijman. Omnivory and food web dynamics. *Ecological Modelling*, 163:19–32, 2003. .
- [168] W. Lampert, E. McCauley, and B. F. J. Manly. Trade-offs in the vertical distribution of zooplankton: ideal free distribution with costs? *Proc. R. Soc. Lond. Biol. Sci.*, 270:765–773, 2003.
- [169] I. M. M. van Leeuwen. *Mathematical models in cancer risk assessment*. PhD thesis, Vrije Universiteit, Amsterdam, 2003. .
- [170] I. M. M. van Leeuwen and S. A. L. M. Kooijman. Final report project DEBtum ”realistic characterizations of the tumor-induction potential of chemicals”. Technical report, Dept Theoretical Biology, Vrije Universiteit, Amsterdam, 2003. .
- [171] I. M. M. van Leeuwen, C. Zonneveld, and S. A. L. M. Kooijman. The embedded tumor: host physiology is important for the interpretation of tumor growth. *British Journal of Cancer*, 89:2254–2263, 2003. .
- [172] K. Lika and S. A. L. M. Kooijman. Life history implications of allocation to growth versus reproduction in dynamic energy budgets. *Bull. Math. Biol.*, 65:809–834, 2003. .
- [173] A. R. R. Péry, V. Ducrot, R. Mons, and J. Garric. Modelling toxicity and mode of action of chemicals to analyse growth and emergence tests with the midge chironomus riparius. *Aquatic Toxicology*, 65:281–292, 2003.
- [174] H. W. van der Veer, S. A. L. M. Kooijman, W. C. Leggett, and J. Van der Meer. Body size scaling relationships in flatfish as predicted by Dynamic Energy Budgets (DEB theory): implications for recruitment. *J. Sea Research*, 50:255–270, 2003. .
- [175] B. W. Brandt, F. D. L. Kelpin, I. M. M. van Leeuwen, and S. A. L. M. Kooijman. Modelling microbial adaptation to changing availability of substrates. *Water Res.*, 38:1003–1013, 2004. .
- [176] V. Ducrot, A. R. R. Péry, R. Mons, and J. Garric. Energy-based modeling as a basis for the analysis of reproductive data with the midge (*Chironomus riparius*). *Environ. Toxicol. Chem.*, 23:225–231, 2004.
- [177] T. Jager, T. Crommentuijn, C. A. M. van Gestel, and S. A. L. M. Kooijman. Simultaneous modelling of multiple endpoints in life-cycle toxicity tests. *Environ. Sci. Technol.*, 38:2894–2900, 2004. .
- [178] M. Fujiwara, B. E. Kendall, and R. M. Nisbet. Growth autocorrelation and animal size variation. *Ecol. Lett.*, 7:106–113, 2004.
- [179] W.C. Gurney and R. M. Nisbet. Resource allocation, hyperphagia and compensatory growth. *Bull. Math. Biol.*, 66:1731–1753, 2004.
- [180] B. W. Kooi, L. D. J. Kuijper, and S. A. L. M. Kooijman. Consequences of symbiosis for food web dynamics. *J. Math. Biol.*, 3:227–271, 2004. .
- [181] S. A. L. M. Kooijman. Samenleven van organismen. In H. Heesterbeek, O. Diekmann, and J. A. J. Metz, editors, *De Wiskundige Kat, de Biologische Muis en de Jacht op Inzicht; verkenningen op het grensvlak van wiskunde en biologie*, pages 63–76. Epsilon-uitgevers, Utrecht, 2004. .
- [182] S. A. L. M. Kooijman. On the coevolution of life and its environment. In S. H. Schneider, J. R. Miller, E. Crist, and P. J. Boston, editors, *Scientists Debate Gaia; the next century.*, chapter 30, pages 343–351. MIT Press, Cambridge, Mass., 2004. .
- [183] S. A. L. M. Kooijman, T. Andersen, and B. W. Kooi. Dynamic energy budget representations of stoichiometric constraints to population models. *Ecology*, 85:1230–1243, 2004. .
- [184] S. A. L. M. Kooijman, T. Jager, and B. W. Kooi. The relationship between elimination rates and partition coefficients. *Chemosphere*, 57:745–753, 2004. .
- [185] L. D. J. Kuijper. *The role of trophic flows in food web dynamics*. PhD thesis, Vrije Universiteit, Amsterdam, 2004. .
- [186] L. D. J. Kuijper, T. R. Anderson, and S. A. L. M. Kooijman. C and N gross efficiencies of copepod egg production studies using a dynamic energy budget model. *J. Plankton Research*, 26:213–226, 2004. .
- [187] L. D. J. Kuijper, B. W. Kooi, T. R. Anderson, and S. A. L. M. Kooijman. Stoichiometry and food chain dynamics. *Theoretical Population Biology*, 66:323–339, 2004. .
- [188] A. Kulminski, K. Manton, I. Akushevich, and A. Yashin. The effect of the organisms’ body size and energy reserves in models for population dynamics. *J. Biol. Systems*, 12:419–437, 2004.
- [189] G. Ledder, J. D. Logan, and A. Joern. Dynamic energy budget models with size-dependent hazard rates. *J. Math. Biol.*, 48:605–622, 2004.
- [190] R.M. Nisbet, E. McCauley, W.S.C. Gurney, W. W. Murdoch, and S. N. Wood. Formulating and testing a partially specified dynamic energy budget model. *Ecology*, 85:3132–3139, 2004.
- [191] A. R. R. Péry, R. Mons, and J. Garric. Energy-based modeling to study population growth rate and production for the midge chironomus riparius in ecotoxicological risk assessment. *Ecotoxicology*, 13:647–656, 2004.
- [192] T. J. Vrede, D. Dobberfuhl, S. A. L. M. Kooijman, and J. J. Elser. Fundamental connections among organism C:N:P stoichiometry, macromolecular composition and growth. *Ecology*, 85:1217–1229, 2004. .

- [193] O. Alda Alvarez, T. Jager, S. A. L. M. Kooijman, and J. E. Kammenga. Responses to stress of *Caenorhabditis elegans* populations with different reproductive strategies. *Functional Ecology*, 19:656–664, 2005. .
- [194] M. Fujiwara, B. E. Kendall, R. M. Nisbet, and W. A. Bennett. Analysis of size trajectory data using an energetic-based growth model. *Ecol.*, 86:1441–1451, 2005.
- [195] T. Jager, O. Alda Alvarez, J. E. Kammenga, and S. A. L. M. Kooijman. Modelling nematode life cycles using dynamic energy budgets. *Functional Ecology*, 19:136–144, 2005. .
- [196] T. Jager and S. A. L. M. Kooijman. Modeling receptor kinetics in the analysis of survival data for organophosphorus pesticides. *Environmental Science & Technology*, 39:8307–8314, 2005. .
- [197] S. A. L. M. Kooijman and R. Hengeveld. The symbiotic nature of metabolic evolution. In T. A. C. Reydon and L. Hemerik, editors, *Current Themes in Theoretical Biology: A Dutch perspective.*, pages 159–202. Springer, Dordrecht, 2005. .
- [198] S. A. L. M. Kooijman and L. A. Segel. How growth affects the fate of cellular substrates. *Bull. Math. Biol.*, 67:57 – 77, 2005. .
- [199] V. Lemesle and J.-L. Gouze. A biochemically based structured model for phytoplankton growth in the chemostat. *Ecol. Complexity*, 2:21–33, 2005.
- [200] K. Lika and N Papandroulakis. Modeling feeding processes: a test of a new model for sea bream (*Sparus aurata*) larvae. *Can. J. Fish. Aquat. Sci.*, 62:425–435, 2005.
- [201] C. Lopes, A. R. R. Péry, A. Chaumot, and S. Charles. Ecotoxicology and population dynamics: Using DEBtox models in a Leslie modeling approach. *Ecol. Modell.*, 188:30–40, 2005.
- [202] E. G. Noonburg and R. M. Nisbet. Behavioural and physiological responses to food availability and predation risk. *Evol. Ecol. Res.*, 7:89–104, 2005.
- [203] A. R. R. Péry, A. Bethune, J. Gahou, R. Mons, and J. Garric. Body residues: a key variable to analyze toxicity tests with *Chironomus riparius* exposed to copper-spiked sediments. *Ecotoxicol. Environ. Saf.*, 61:160–167, 2005.
- [204] Péry A. R. R., Mons R. L., and J. Garric. Modelling of the life cycle of *Chironomus* species using an energy-based model. *Chemosphere*, 59:247–253, 2005.
- [205] J. S. Ren and A. H. Ross. Environmental influence on mussel growth: A dynamic energy budget model and its application to the greenshell mussel *Perna canaliculus*. *Ecol. Modell.*, 189:347–362, 2005.
- [206] T. A. Troost, B. W. Kooi, and S. A. L. M. Kooijman. When do mixotrophs specialize? adaptive dynamics theory applied to a dynamic energy budget model. *Math. Biosci.*, 193:159–182, 2005. .
- [207] T. A. Troost, B. W. Kooi, and S. A. L. M. Kooijman. Ecological specialization of mixotrophic plankton in a mixed water column. *Am. Nat.*, 166:E45–E61, 2005. .
- [208] L. Weltje, F. S. vom Saal, and J. Oehlmann. Reproductive stimulation by low doses of xenoestrogens contrasts with the view of hormesis as an adaptive response. *Human & Experimental Toxicology*, 24:431–437, 2005.
- [209] O. Alda Alvarez, T. Jager, B. Nunez Colao, and J. E. Kammenga. Temporal dynamics of effect concentrations. *Environ. Sci. Technol.*, 40:2478–2484, 2006. .
- [210] O. Alda Alvarez, T. Jager, E. Marco Redondo, and J. E. Kammenga. Physiological modes of action of toxic chemicals in the nematode *Acrobeloides nanus*. *Environ. Toxicol. Chem.*, 25:3230–3237, 2006. .
- [211] M. O. Alver, J. A. Alfredsen, and Y. Olsen. An individual-based population model for rotifer (*Brachionus plicatilis*) cultures. *Hydrobiologia*, 560:93–108, 2006.
- [212] S. L. Anderson, G. N. Cherr, S. G. Morgan, C. A. Vines, R. M. Higashi, W. A. Bennett, W. L. Rose, A. J. Brooks, and R. M. Nisbet. Integrating contaminant responses in indicator saltmarsh species. *Mar. Environ. Res.*, 62:S317–S321, 2006.
- [213] C. Bacher and A. Gangnery. Use of dynamic energy budget and individual based models to simulate the dynamics of cultivated oyster populations. *J. Sea Res.*, 56:140–155, 2006.
- [214] J. F. M. F. Cardoso, H. W. van der Veer, and S. A. L. M. Kooijman. Body size scaling relationships in bivalves: a comparison of field data with predictions by Dynamic Energy Budgets (DEB theory). *J. Sea Res.*, 56:125–139, 2006. .
- [215] J. F. M. F. Cardoso, J. IJ. Witte, and H. van der Veer. Intra- and interspecies comparison of energy flow in bivalve species in Dutch coastal waters by means of the Dynamic Energy Budget (DEB) theory. *J. Sea Res.*, 56:182–197, 2006.
- [216] S. Casas and C. Bacher. Modelling trace metal (Hg and Pb) bioaccumulation in the mediterranean mussel, *Mytilus galloprovincialis*, applied to environmental monitoring. *J. Sea Res.*, 56:168–181, 2006.
- [217] A. Duisterwinkel. Nieuwe theorie voor toxicologie. *C2w*, 18(28 Okt):26–27, 2006. .
- [218] T. Jager, E. H. W. Heugens, and S. A. L. M. Kooijman. Making sense of ecotoxicological test results: towards application of process-based models. *Ecotoxicology*, 15:305–314, 2006. .
- [219] T. Klanjscek, H. Caswell, M. G. Neubert, and Nisbet R. M. Integrating dynamic energy budgets into matrix population models. *Ecol. Modell.*, 196:407–420, 2006.
- [220] B. W. Kooi and T. A. Troost. Advantages of storage in a fluctuating environment. *Theor Pop. Biol.*, 70:527–541, 2006. .
- [221] S. A. L. M. Kooijman. Pseudo-faeces production in bivalves. *J. Sea Research*, 56:103–106, 2006. .
- [222] S. A. L. M. Kooijman, J. J. M. Bedaux, A. R. R. Péry, and T. Jager. Biology-based methods. In H. Magaud, editor, *Current approaches in the statistical analysis of ecotoxicity data: A guidance to application.*, volume 54, TC 147/ SC 5/ WG 10/ N0390 of *Series on Testing Assessment*, chapter 7. ISO and OECD, Paris, 2006. .
- [223] J. Van der Meer. An introduction to Dynamic Energy Budget (DEB) models with special emphasis on parameter estimation. *Journal of Sea Research*, 56:85–102, 2006. .
- [224] J. Van der Meer. Metabolic theories in ecology. *Trends in Ecology and Evolution*, 21:136–140, 2006. .

- [225] A. W. Omta, J. Bruggeman, S. A. L. M. Kooijman, and H. A. Dijkstra. The biological carbon pump revisited: feedback mechanisms between climate and the redfield ratio. *Geophys. Res. Lett.*, 33:L14613, 2006. .
- [226] A. R. R. Péry and J. Garric. Modelling effects of temperature and feeding level on the life cycle of the midge *Chironomus riparius*: An energy-based modelling approach. *Hydrobiologia*, 553:59–66, 2006.
- [227] B. J. Pieters, T. Jager, M. H. S. Kraak, and W. Admiraal. Modeling responses of *Daphnia magna* to pesticide pulse exposure under varying food conditions: intrinsic versus apparent sensitivity. *Ecotoxicology*, 15:601–608, 2006. .
- [228] S. Pouvreau, Y. Bourles, S. Lefebvre, A. Gangnery, and M. Alunno-Bruscia. Application of a dynamic energy budget model to the pacific oyster *Crassostrea gigas*, reared under various environmental conditions. *J. Sea Res.*, 56:156–167, 2006. .
- [229] T. Sousa, R. Mota, T. Domingos, and S. A. L. M. Kooijman. The thermodynamics of organisms in the context of Dynamic Energy Budget theory. *Physical Review E*, 74(051901):1–15, 2006. .
- [230] C. Tolla. *Modelling of Microbial Population Dynamics in variable Environments*. PhD thesis, Vrije Universiteit, Amsterdam & University of Marseille, 2006. .
- [231] T. A. Troost. *Evolution of community metabolism*. PhD thesis, Vrije Universiteit, Amsterdam, 2006. .
- [232] H. van der Veer and M. Alunno-Bruscia. The DEBIB project: Dynamic Energy Budgets in Bivalves. *J. Sea Res.*, 56:81–84, 2006.
- [233] H. W. Van der Veer, J. F. M. F. Cardoso, and J. Van der Meer. The estimation of DEB parameters for various Northeast Atlantic bivalve species. *Journal of Sea Research*, 56:107–124, 2006. .
- [234] M. O. Alver and A. Hagiwara. An individual-based population model for the prediction of rotifer population dynamics and resting egg production. *Hydrobiologia*, 593:19–26, 2007.
- [235] J. Baas, B. P. P. van Houte, C. A. M. van Gestel, and S. A. L. M. Kooijman. Modelling the effects of binary mixtures on survival in time. *Environmental Toxicology & Chemistry*, 26:1320–1327, 2007. .
- [236] E. Billoir, A. R. R. Péry, and S. Charles. Integrating the lethal and sublethal effects of toxic compounds into the population dynamics of *Daphnia magna*: A combination of the DEBtox and matrix population models. *Ecol. Modell.*, 203:204–214, 2007.
- [237] J. Bruggeman, H. Burchard, B. W. Kooi, and B. Sommeijer. A second-order, unconditionally positive, mass-conserving integration scheme for biochemical systems. *Appl Num. Math.*, 57:36–58, 2007. .
- [238] J. Bruggeman and S. A. L. M. Kooijman. A biodiversity-inspired approach to aquatic ecosystem modeling. *Limnol Oceanogr*, 52:1533–1544, 2007. .
- [239] J. F. M. F. Cardoso. *Growth and reproduction in bivalves*. PhD thesis, Groningen Univ., 2007.
- [240] V. Ducrot, A. R. R. Péry, H. Quéau, R. Mons, M. Lafont, and J. Garric. Rearing and estimation of life-cycle parameters of the tubicifid worm *Branchiura sowerbyi*: Application to ecotoxicity testing. *Sci. Tot. Environ.*, 384:252–263, 2007.
- [241] V. Ducrot, A. R. R. Péry, R. Mons, H. Quéau, S. Charles, and J. Garric. Dynamic energy budget as a basis to model population-level effects of zinc-spiked sediments in the gastropod *Valvata piscinalis*. *Environ. Tox. Chem.*, 26:114–1783, 2007.
- [242] S. R. Hall, C. Becker, and C. E. Cáceres. Parasitic castration: a perspective of a model of dynamic energy budgets. *Integrative and Comparative Biology*, 47:295–309, 2007.
- [243] P. H. E. Hobbelen and C. A. M. van Gestel. Using dynamic energy budget modeling to predict the influence of temperature and food density on the effect of Cu on earthworm mediated litter consumption. *Ecol. Modell.*, 202:373–384, 2007.
- [244] T. Jager, T. Crommentuijn, C. A. M. van Gestel, and S. A. L. M. Kooijman. Chronic exposure to chlorpyrifos reveals two modes of action in the springtail *Folsomia candida*. *Environ. Pollut.*, 145:452–458, 2007. .
- [245] T. Klanjscek, Nisbet R. M., H. Caswell, and M. G. Neubert. A model for energetics and bioaccumulation in marine mammals with applications to the right whale. *Ecol. Appl.*, 17:2233–2270, 2007.
- [246] C. Klok. Effects of earthworm density on growth, development, and reproduction in *Lumbricus rubellus* (hoffm.) and possible consequences for the intrinsic rate of population increase. *Soil Biology & Biochemistry*, 39:2401–2407, 2007.
- [247] C. Klok, M. Holmstrup, and C. Damgaard. Extending a combined dynamic energy budget matrix population model with a bayesian approach to assess variation in the intrinsic rate of population increase. an example in the earthworm *Dendrobaena octaedra*. *Environ. Toxicol. Chem.*, 26:2383–2388, 2007.
- [248] S. A. L. M. Kooijman, J. Baas, D. Bontje, M. Broerse, T. Jager, C. A. M. van Gestel, and B. van Hattum. Scaling relationships based on partition coefficients and body sizes have similarities and interactions. *SAR and QSAR in Environ. Res.*, 18:315–330, 2007. .
- [249] S. A. L. M. Kooijman, J. Grasman, and B. W. Kooi. A new class of non-linear stochastic population models with mass conservation. *Math Biosci*, 210:378–394, 2007. .
- [250] S. A. L. M. Kooijman and T. A. Troost. Quantitative steps in the evolution of metabolic organisation as specified by the dynamic energy budget theory. *Biol. Reviews*, 82:1–30, 2007. .
- [251] I. van Leeuwen. *Vive rápido, muere joven; matemáticas en biología del envejecimiento*. *La Gaceta De La RSME*, 10:71–96, 2007. .
- [252] O. Maury, B. Faugeras, Y.-J. Shin, Poggiale J.-C., T. Ben Ari, and F. Marsac. Modeling environmental effects on the size-structured energy flow through marine ecosystems. part 1: The model. *Progress in Oceanography*, 74:479–499, 2007.
- [253] O. Maury, Y.-J. Shin, B. Faugeras, T. Ben Ari, and F. Marsac. Modeling environmental effects on the size-structured energy flow through marine ecosystems. part 1: Simulations. *Progress in Oceanography*, 74:500–514, 2007.

- [254] J. Van der Meer. Laws on growth and heat. *Trends in Ecology and Evolution*, 22:392–393, 2007. .
- [255] A. M. Omholt. *Modelling, instrumentation and control in marine larviculture*. PhD thesis, Bergen Univ., 2007.
- [256] A.-W. Omta, S. A. L. M. Kooijman, and H. A. Dijkstra. Influence of (sub)mesoscale eddies on the soft-tissue carbon pump. *J. Geophys. Res.*, 112:doi:10.1029/2007JC004189, 2007. .
- [257] G. S. Schatz and E. McCauley. Foraging behavior by *Daphnia* in stoichiometric gradients of food quality. *Oecologia*, 153:1021–1030, 2007.
- [258] T. Sousa. *Thermodynamics as a Substantive and Formal Theory for the Analysis of Economic and Biological Systems*. PhD thesis, Technical University & Vrije Universiteit, Lisbon & Amsterdam, 2007. .
- [259] C. Tolla, S. A. L. M. Kooijman, and J. C. Poggiale. A kinetic inhibition mechanism for the maintenance process. *J. Theor. Biol.*, 244:576–587, 2007. .
- [260] I. Thorion and C. Klok. Impact of a changed inundation regime caused by climate change and floodplain rehabilitation on population viability of earthworms in a lower river rhine floodplain. *Sci. Tot. Environ.*, 372:585–594, 2007.
- [261] T. A. Troost, B. W. Kooi, and S. A. L. M. Kooijman. Bifurcation analysis can unify ecological and evolutionary aspects of ecosystems. *Ecol. Mod.*, 204:253–268, 2007. .
- [262] G. A. K. van Voorn, L. Hemerik, M. Boer, and B. W. Kooi. Heteroclinic orbits indicate overexploitation in predator prey systems with a strong allee effect. *Math. Biosci.*, 209:451–469, 2007. .
- [263] E. Billoir, M. L. Delignette-Muller, A. R. R. Alexandre R. R. Péry, O. Geffard, and S. Charles. Statistical cautions when estimating debtox parameters. *J. Theor. Biol.*, 254:55–64, 2008.
- [264] N. Broekhuizen, G. J. Rickard, J. Bruggeman, and A. Meister. An improved and generalized second order, unconditionally positive, mass conserving integration scheme for biochemical systems. *Appl Num. Math.*, 58:319–340, 2008. .
- [265] J. Campos and H. van der Veer. Autecology of *Crangon crangon* (L.) with an emphasis on latitudinal trends. *Oceanogr. Mar. Biol.: Annu. Rev.*, 46:65–104, 2008. .
- [266] E. Eichinger. *Bacterial degradation of dissolved organic carbon in the water column: an experimental and modelling approach*. PhD thesis, University de la Méditerranée & Vrije Universiteit, Marseille & Amsterdam, 2008. .
- [267] J. Flye Sainte Marie. *Ecophysiology of Brown Ring Disease in the Manila clam Ruditapes philippinarum, experimental and modelling approaches*. PhD thesis, Brest University & Vrije Universiteit, Brest & Amsterdam, 2008. .
- [268] A. Huvet, F. Jeffroy, C. Fabioux, J. Y. Daniel, V. Quillien, A. van Wormhoudt, J. Moal, J. F. Samain, P. Boudry, and S. Pouvreau. Association among growth, food consumption-related traits and amylase gene polymorphism in the pacific oyster *Crassostrea gigas*. *Anim. Gen.*, 39:662–665, 2008.
- [269] D. Kitazawa, S. Tabet, Kato T., and P. Ruardij. A comparative study of the biomass-based and individual-based models of blue mussels. *Ecol. Modell.*, 215:93–104, 2008.
- [270] C. Klok. Gaining insight in the interaction of zinc and population density with a combined dynamic energy budget and population model. *Environ. Sci. Technol.*, 42:8803–8808, 2008.
- [271] B. W. Kooi, D. Bontje, G. A. K. van Voorn, and S. A. L. M. Kooijman. Sublethal contaminants effects in a simple aquatic food chain. *Ecol. Modelling*, 112:304–318, 2008. .
- [272] B. W. Kooi, D. Bontje, and M. Liebig. Model analysis of a simple aquatic ecosystems with sublethal toxic effects. *Math. Biosci. Eng.*, 5:771–787, 2008. .
- [273] S. A. L. M. Kooijman, T. Sousa, L. Pecquerie, J. Van der Meer, and T. Jager. From food-dependent statistics to metabolic parameters, a practical guide to the use of Dynamic Energy Budget theory. *Biol. Rev.*, 83:533–552, 2008. .
- [274] M. Liebig, G. Schmidt, D. Bontje, B. W. Kooi, G. Streck, W. Traunspurger, and T. Knacker. Direct and indirect effects of pollutants on algae and algivorous ciliates in an aquatic indoor microcosm. *Aquatic Toxicology*, 88:102–110, 2008. .
- [275] A.-W. Omta, S. A. L. M. Kooijman, and H. Dijkstra. Critical turbulence revisited: the impact of submesoscale vertical mixing on plankton patchiness. *J. Mar. Res.*, 66:61–85, 2008. .
- [276] L. Pecquerie. *Bioenergetic modelling of the growth, development and reproduction of a small pelagic fish: the Bay of Biscay anchovy*. PhD thesis, Agrocampus Rennes & Vrije Universiteit, Amsterdam, 2008. .
- [277] J. S. Ren and D. R. Schiel. A dynamic energy budget model: parameterisation and application to the Pacific oyster *Crassostrea gigas* in new zealand waters. *J. Exp. Mar. Biol. Ecol.*, 361:42–48, 2008.
- [278] K. Rinke, S. Hülsmann, and W. M. Mooij. Energetic costs, underlying resource allocation patterns, and adaptive value of predator-induced life-history shifts. *Oikos*, 117:273–285, 2008.
- [279] A. M. de Roos. Demographic analysis of continuous-time life-history models. *Ecol. Lett.*, 11:1–15, 2008.
- [280] A. M. de Roos, T. Schellekens, T. van Kooten, K. van de Wolfshaar, D. Claessen, and L. Persson. Simplifying a physiologically structured population model to a stage-structured biomass model. *Theor. Pop. Biol.*, 73:47–62, 2008.
- [281] D. B. Sigourney, B. H. Letcher, M. Obedzinski, and R. A. Cunjak. Size-independent growth in fishes: patterns, models and metrics. *J. Fish Biol.*, 72:2435–2455, 2008.
- [282] T. Sousa, T. Domingos, and S. A. L. M. Kooijman. From empirical patterns to theory: A formal metabolic theory of life. *Phil. Trans. R. Soc. B*, 363:2453–2464, 2008. .
- [283] T. A. Troost, B. W. Kooi, and U. Dieckmann. Joint evolution of predator body size and prey-size preference. *Evolutionary Ecology*, 22:771–799, 2008. .
- [284] J. Vanoverbeke. Modeling individual and population dynamics in a consumer-resource system: Behavior under food limitation and crowding and the effect on population cycling in *Daphnia*. *Ecol. Modell.*, 216:385–401, 2008.

- [285] G. A. K. van Voorn, D. Stiefs, T. Gross, B. W. Kooi, U. Feudel, and S. A. L. M. Kooijman. Stabilization due to predator interference: Comparison of different analysis approaches. *Math. Biosci. Eng.*, 5:567–583, 2008. .
- [286] M. Alunno-Bruscia, Henk van der Veer, and S. A. L. M. Kooijman. The AquaDEB project (phase i): Analysing the physiological flexibility of aquatic species and connecting physiological diversity to ecological and evolutionary processes by using Dynamic Energy Budgets. *J. Sea Res.*, 62:43–48, 2009. .
- [287] J. Baas, H. Hoogenboorn, and S. A. L. M. Kooijman. Sterfte van Daphnia in beheersgebied Delfland verklaard. *H₂O.*, 16/17:35–37, 2009. .
- [288] J. Baas, T. Jager, and S. A. L. M. Kooijman. Estimation of no effect concentrations from exposure experiments when values scatter among individuals. *Ecotoxicological Modelling*, 220:411–418, 2009. .
- [289] J. Baas, T. Jager, and S. A. L. M. Kooijman. A model to analyze effects of complex mixtures on survival. *Ecotox. Environ. Saf.*, 72:669–676, 2009. .
- [290] J. Baas, J. Willems, T. Jager, M. H. S. Kraak, T. Vandenbrouck, and S. A. L. M. Kooijman. Prediction of daphnid survival after in situ exposure to complex mixtures. *Environ. Sci. Technol.*, 43:6064–6069, 2009. .
- [291] E. Billoir, A. da Silva Ferrão Filho, M. L. Delignette-Muller, and S. Charles. Idebtox theory and matrix population models as helpful tools in understanding the interaction between toxic cyanobacteria and zooplankton. *J. Theor. Biol.*, 258:380–388, 2009.
- [292] D. Bontje, B. W. Kooi, M. Liebig, and S. A. L. M. Kooijman. Modelling long-term ecotoxicological effects on an algal population under dynamic nutrient stress. *Water Research*, 43:3292–3300, 2009. .
- [293] D. Bontje, B. W. Kooi, G. A. K. van Voorn, and S. A. L. M. Kooijman. Feeding threshold for predators stabilises predator-prey systems. *Math. Model. Nat. Phenom.*, 4:92–110, 2009. .
- [294] X. Bodiguel, O. Maury, C. Mellon-Duval, F. Roupard, A.-M. Le Guellex, and V. Loizeau. A dynamic and mechanistic model of pcb bioaccumulation in the european hake (*Merluccius merluccius*). *J. Sea Res.*, 62:124–134, 2009.
- [295] Y. Bourles, M. Alunno-Bruscia, S. Pouvreau, G. Tollu, D. Leguay, C. Arnaud, P. Gouletquer, and S. A. L. M. Kooijman. Modelling growth and reproduction of the pacific oyster *Crassostrea gigas*: application of the oyster-DEB model in a coastal pond. *J. Sea Res.*, 62:62–71, 2009. .
- [296] J. Bruggeman. *Succession in plankton communities: A trait-based perspective*. PhD thesis, Vrije Universiteit, Amsterdam, 2009. .
- [297] J. Bruggeman, J. Heringa, and B. W. Brandt. Phylopars: estimation of missing parameters values using phylogeny. *Nucleic Acids Research*, 37:W179–W184, 2009. .
- [298] J. Campos. *The eco-geography of the brown shrimp in Europe*. PhD thesis, Vrije Universiteit, Amsterdam, 2009. .
- [299] J. Campos, H. van der Veer, V. Freitas, and S. A. L. M. Kooijman. Contribution of different generations of the brown shrimp *Crangon crangon* (L.) in the dutch wadden sea to commercial fisheries: a dynamic energy budgets approach. *J. Sea Res.*, 62:106–113, 2009. .
- [300] M. Eichinger, S. A. L. M. Kooijman, R. Sempéré, and J.-C. Poggiale. Consumption and release of dissolved organic carbon by marine bacteria in a pulsed-substrate environment: from experiments to modelling. *Aquatic Microbial Ecology*, 56:41–54, 2009. .
- [301] I. Filin. A diffusion-based approach to stochastic individual growth and energy budget, with consequences to life-history optimization and population dynamics. *J. Evol. Biol.*, 22:1252–1267, 2009.
- [302] J. Flye Sainte Marie, F. Jean, C. Paillard, and S.A.L.M. Kooijman. A quantitative estimation of the energetic cost of brown ring disease in the Manila clam using Dynamic Energy Budget theory. *J. Sea Res.*, 62:114–123, 2009. .
- [303] V. Freitas, J. F. M. F. Cardoso, S. Santos, J. Campos, J. Drent, J. IJ. Witte, S. A. L. M. Kooijman, and H. van der Veer. Reconstruction of food conditions for Northeast Atlantic bivalve species based on Dynamic Energy Budget theory. *J. Sea Res.*, 62:75–82, 2009. .
- [304] K. Grangeré, A. Ménesguen, S. Lefebvre, C. Bacher, and S. Pouvreau. Modelling the influence of environmental factors on the physiological status of the Pacific oyster *Crassostrea gigas* in an estuarine embayment; The Baie des Vey (France). *J. Sea Res.*, 62:147–158, 2009.
- [305] S. R. Hall, J. L. Simonis, R. M. Nisbet, A. J. Tessier, and C. E. Cáceres. Resource ecology of virulence in a planktonic host-parasite system: An explanation using dynamic energy budgets. *Am. Nat.*, 174:149–162, 2009.
- [306] S. Huang, Y. Jia, and S. S. Y. Wang. Two-dimensional numerical and eco-toxicological modeling of chemical spills. *Front. Environ. Sci. Engin. China*, 3:178–185, 2009.
- [307] T. Jager and S. A. L. M. Kooijman. A biology-based approach for quantitative structure-activity relationships (QSARs) in ecotoxicity. *Ecotoxicol.*, 18:187–196, 2009. .
- [308] S. A. L. M. Kooijman. Social interactions can affect feeding behaviour of fish in tanks. *J. Sea Res.*, 62:175–178, 2009. .
- [309] S. A. L. M. Kooijman. What the egg can tell about its hen: embryo development on the basis of dynamic energy budgets. *J. Math. Biol.*, 58:377–394, 2009. .
- [310] S. A. L. M. Kooijman, J. Baas, D. Bontje, M. Broerse, C. A. M. van Gestel, and T. Jager. Ecotoxicological applications of Dynamic Energy Budget theory. In J. Devillers, editor, *Ecotoxicology Modeling*, pages 237–259. Springer, 2009. .
- [311] K. Lika and I. A. Papadakis. Modelling biodegradation of phenols by algae. *J. Sea Res.*, 62:135–146, 2009.
- [312] M. Maar, K. Bolding, J. K. Petersen, J. S. L. Hansen, and K. Timmermann. Local effects of blue mussels around turbine foundations in an ecosystem model of Nysted off-shore wind farm, denmark. *J. Sea Res.*, 62:159–174, 2009.
- [313] A. Merico, J. Bruggeman, and K. W. Wirtz. A trait-based approach for downscaling complexity in plankton ecosystem models. *Ecological Modelling*, 220:3001–3010, 2009. .

- [314] P. K. Molnár, T. Klanjscek, A. E. Derocher, M. E. Obbard, and M. A. Lewis. A body composition model to estimate mammalian energy stores and metabolic rates from body mass and body length, with application to polar bears. *J. Exp. Biol.*, 212:2313–2323, 2009.
- [315] E. B. Muller, S. A. L. M. Kooijman, P. J. Edmunds, F. J. Doyle, and R. M. Nisbet. Dynamic Energy Budgets in syntrophic symbiotic relationships between heterotrophic hosts and photoautotrophic symbionts. *J. theor. Biol.*, 259:44–57, 2009. .
- [316] A. W. Omta. *Eddies and algal stoichiometry: Physical and biological influences on the organic carbon pump*. PhD thesis, Vrije Universiteit, Amsterdam, 2009. .
- [317] A. W. Omta, J. Bruggeman, S. A. L. M. Kooijman, and H. A. Dijkstra. The physics of the biological carbon pump. *J. Sea Res.*, 62:179–187, 2009. .
- [318] A. W. Omta, J. Llido, S. A. L. M. Kooijman, V. Garçon, and H. A. Dijkstra. How to interpret satellite chlorophyll observations: a case study about the mozambique channel. *J. Deep Sea Res.*, 56:974–988, 2009. .
- [319] L. Pecquerie, P. Petitgas, and S. A. L. M. Kooijman. Modelling fish growth and reproduction in the context of the Dynamic Energy Budget theory to predict environmental impact on anchovy spawning duration. *J. Sea Res.*, 62:93–105, 2009. .
- [320] J. S. Ren. Effects of food quality on energy uptake. *J. Sea Res.*, 62:72–74, 2009.
- [321] B. Rico-Villa, I. Bernard, R. Robert, and S. Pouvreau. A dynamic energy budget (DEB) growth model for Pacific oyster larvae, *Crassostrea gigas*. *Aquaculture*, 305:84–94, 2009.
- [322] A. M. de Roos, N. Galic, and H. Heesterbeek. How resource competition shapes individual life history for nonplastic growth: unglulates in seasonal food environments. *Ecol.*, 90:945–960, 2009.
- [323] R. Rosland, Ø. Strand, M. Alunno-Bruscia, C. Bacher, and T. Strohmeier. Applying Dynamic Energy Budget (DEB) theory to simulate growth and bio-energetics of blue mussels under low seston conditions. *J. Sea Res.*, 62:49–61, 2009.
- [324] D. Stiefs. *Relating generalized and specific modeling in population dynamical systems*. PhD thesis, Oldenburg University & Vrije Universiteit, Amsterdam, 2009. .
- [325] T. A. Troost, J. van Dam, B. W. Kooi, and E. Tuenter. Seasonality, climate cycles and body size evolution. *Math Model Nat Phenom*, 4:137–157, 2009. .
- [326] H. van der Veer, J. F. M. F. Cardoso, M. A. Peck, and S. A. L. M. Kooijman. Physiological performance of plaice *Pleuronectes platessa* (L.): A comparison of static and dynamic energy budgets. *J. Sea Res.*, 62:83–92, 2009. .
- [327] G. A. K. van Voorn. *Ecological implications of global bifurcations*. PhD thesis, Vrije Universiteit, Amsterdam, 2009. .
- [328] J. Baas. *Effects of mixtures explained: From laboratory tests to effects in the environment*. PhD thesis, Vrije Universiteit, Amsterdam, 2010. .
- [329] J. Baas, T. Jager, and S. A. L. M. Kooijman. Understanding toxicity as processes in time. *Sci. Total Environ.*, 408:3735–3739, 2010. .
- [330] J. Baas, T. Jager, and S. A. L. M. Kooijman. A review of DEB-theory in assessing toxic effects of mixtures. *Sci. Total Environ.*, 408:3740–3745, 2010. .
- [331] J. Baas and S. A. L. M. Kooijman. Chemical contamination and the ecological quality of surface water. *Envir. Pollut.*, 158:1603–1607, 2010. .
- [332] J. Baas, A. M. Stefanowicz, B. Klimek, R. Laskowski, and S. A. L. M. Kooijman. Model-based experimental design for assessing effects of mixtures of chemicals. *Environmental Pollution*, 158:115–120, 2010. .
- [333] D. Bontje. *Analysis of toxic effects and nutrient stress in aquatic ecosystems*. PhD thesis, Vrije Universiteit, Amsterdam, 2010. .
- [334] O. Diekmann and J. A. J. Metz. How to lift a model for individual behaviour to the population level? *Phil. Trans. Royal Soc. B*, 365:3523–3530, 2010.
- [335] P. Duarte, M. J. Fernández-Reiriz, Filgueira R., and U. Labarta. Modelling mussel growth in ecosystems with low suspended matter loads. *J. Sea Res.*, 64:273–286, 2010.
- [336] V. Ducrot, A. R. R. Péry, and L. Lagadic. Modelling effects of diquat under realistic exposure patterns in genetically differentiated populations of the gastropod *Lymnaea stagnalis*. *Phil. Trans. Roy. Soc. B*, 365:3411–3590, 2010.
- [337] M. Eichinger, V. Loizeau, F. Rouspard, A. M. de Guellec, and C. Bacher. Modelling growth and bioaccumulation of polychlorinated biphenyls in common sole (*Solea solea*). *J. Sea Res.*, 64:373–385, 2010.
- [338] M. Eichinger, R. Sempéré, G. Grégori, Charrière. B., J.-C. Poggiale, and D. Lefèvre. Increased bacterial growth efficiency with environmental variability: results from DOC degradation by bacteria in pure culture experiments. *Biogeosciences*, 7:1861–1876, 2010. .
- [339] I. Filin. Target size and optimal life history when individual growth and energy budget are stochastic. *J. Theor Biol.*, 264:510–516, 2010.
- [340] V. Freitas, J. M. F. Cardoso, D. Lika, M. Peck, J. Campos, S. A. L. M. Kooijman, and H. W. van der Veer. Temperature tolerance and energetics, a dynamic energy budget-based comparison of north atlantic marine species. *Phil. Trans. R. Soc. B*, 365:3553–3565, 2010. .
- [341] K. Grangeré, S. Lefebvre, C. Bager, P. Cugier, and A. Ménesguen. Modelling the spatial heterogeneity of ecological processes in an intertidal estuarine bay: dynamic interactions between bivalves and phytoplankton. *Mar. Ecol. Prog. Ser.*, 415:141–158, 2010.
- [342] T. Guyondet, S. Roy, V. G. Koutitonsky, J. Grant, and G. Tita. Integrating multiple spatial scales in the carrying capacity assessment of a coastal ecosystem for bivalve aquaculture. *J. Sea Res.*, 64:341–359, 2010.
- [343] L. H. Heckmann, J. Baas, and T. Jager. Time is of the essence. *Environ. Toxicol. Chem.*, 29():1396–1398, 2010. .

Period 2010 –

- [344] M. Hendrata and B. Birnir. Dynamic-energy-budget-driven fruiting-body formation in myxobacteria. *Phys Rev E Stat Nonlin Soft Matter Phys.*, 81:DOI:10.1103/PhysRevE.81.061902, 2010.
- [345] T. Jager and C. Klok. Extrapolating toxic effects on individuals to the population level; the role of dynamic energy budgets. *Phil. Trans. R. Soc. B*, 365:3531–3540, 2010. .
- [346] T. Jager, T. Vandenbrouck, J. Baas, W. M. De Coen, and S. A. L. M. Kooijman. A biology-based approach for mixture toxicity of multiple endpoints over the life cycle. *Ecotoxicology.*, 19:351–361, 2010. .
- [347] M. R. Kearney, S. J. Simpson, D. Raubenheimer, and B. Helmuth. Modelling the ecological niche from fundamental traits. *Phil. Trans. Roy. Soc. B*, 365:3469–3483, 2010.
- [348] B. W. Kooi and J. Van der Meer. Bifurcation theory, adaptive dynamics and DEB-structured populations of iteroparous species. *Phil. Trans. R. Soc. B*, 365:3579–3590, 2010. .
- [349] S. A. L. M. Kooijman. *Dynamic Energy Budget theory for metabolic organisation*. Cambridge University Press, 2010. .
- [350] I. M. M. van Leeuwen, J. Vera, and O. Wolkenhauer. Dynamic energy budget approaches for modelling organismal ageing. *Phil. Trans. Roy. Soc. B*, 365:3443–3454, 2010.
- [351] A. Lorena, G. Marques, S. A. L. M. Kooijman, and T. Sousa. Stylized facts in microalgal growth - interpretation in a DEB context. *Phil. Trans. R. Soc. B*, 365:3509–3521, 2010. .
- [352] M. Maar, K. Timmermann, J. K. Petersen, K. E. Gustafsson, and L. M. Storm. A model study of the regulation of blue mussels by nutrient loadings and water column stability in a shallow estuary, the limfjorden. *J. Sea Res.*, 64:322–333, 2010.
- [353] O. Maury. An overview of apocosm, a spatialized mass balanced "apex predators ecosystem model" to study physiologically structured tuna population dynamics in their ecosystem. *Progress in Oceanography*, 84:113–117, 2010.
- [354] R. J. Miller, H. S. Lenihan, E. B. Muller, N. Tseng, S. K. Hanna, and A. A. Keller. Impacts of metal oxide nanoparticles on marine phytoplankton. *Environ. Sci. Technol.*, 44:7329–7334, 2010.
- [355] Muller E. B., R. M. Nisbet, and H. A. Berkley. Sublethal toxicant effects with dynamic energy budget theory: model formulation. *Ecotox.*, 19:48–60, 2010.
- [356] E. B. Muller, C. W. Osenberg, R. J. Schmitt, S. J. Holbrook, and R. M. Nisbet. Sublethal toxicant effects with dynamic energy budget theory: application to mussel outplants. *Ecotoxicology*, 19:38–47, 2010.
- [357] R.M. Nisbet, E. McCauley, and L. R. Johnson. Dynamic energy budget theory and population ecology: lessons from *Daphnia*. *Phil. Trans. Royal Soc. B*, 365:3411–3590, 2010.
- [358] E. G. Noonburg, R. M. Nisbet, and T. Klanjscek. Effects of life history variation on vertical transfer of toxicants in marine mammals. *J. Theor Biol.*, 264:479–489, 2010.
- [359] L. Pecquerie, R. M. Nisbet, R. Fablet, A. Lorrain, and S. A. L. M. Kooijman. The impact of metabolism on stable isotope dynamics: a theoretical framework. *Phil. Trans. R. Soc. B*, 365:3455–3468, 2010. .
- [360] F. Peeters, J. Li, D. Straille, K.-O. Rothhaupt, and J. Vijverberg. Influence of low and decreasing food levels on daphnia-algal interactions: Numerical experiments with a new dynamic energy budget model. *Ecol. Modell.*, 221:2642–2655, 2010.
- [361] J.-C. Poggiale, M. Baklouti, B. Queguiner, and S. A. L. M. Kooijman. How far details are important in ecosystem modelling: the case of multi-limiting nutrients in phytoplankton - zooplankton interactions. *Phil. Trans. R. Soc. B*, 365:3495–3507, 2010. .
- [362] J. S. Ren, A. H. Ross, M. G. Hadfield, and B. J. Haydena. An ecosystem model for estimating potential shellfish culture production in sheltered coastal waters. *Ecol. Modell.*, 221:527–539, 2010.
- [363] T. Sousa, T. Domingos, J.-C. Poggiale, and S. A. L. M. Kooijman. Dynamic Energy Budget theory restores coherence in biology. *Phil. Trans. R. Soc. B*, 365:3413–3428, 2010. .
- [364] D. Stiefs, G. A. K. van Voorn, B. W. Kooi, T. Gross, and U. Feudel. Food quality in producer-grazer models - a generalized analysis. *Am. Nat.*, 176:367–380, 2010. .
- [365] S. Swain, J. Wren, S. R. Stürzenbaum, P. Kille, A. J. Morgan, T. Jager, M. J. Jonker, P. K. Hankard, C. Svendsen, J. Owen, B. A. Hedley, M. Blaxter, and D.J. Spurgeon. Linking toxicant molecular and physiological mode of action in *Caenorhabditis elegans*. *BMC Biology*, 4:32, 2010. .
- [366] T. A. Troost, J. W. M. Wijsman, S. Saraiva, and V. Freitas. Modeling shellfish growth with Dynamic Energy Budget (DEB) models: an application for cockles and mussels in the Oosterschelde (SW Netherlands). *Phil. Trans. R. Soc. B*, 365:3567–3577, 2010. .
- [367] J. Vanoverbeke and L. de Meester. Clonal erosion and genetic drift in cyclical parthenogens - the interplay between neutral and selective processes. *J. Evol. Biol.*, 23:997–1012, 2010.
- [368] S. Vinga, A. R. Neves, H. Santos, B. W. Brandt, and S. A. L. M. Kooijman. Subcellular metabolic organization in the context of Dynamic Energy Budget and biochemical systems theories. *Phil. Trans. R. Soc. B*, 365:3429–3442, 2010. .
- [369] G. A. K. van Voorn, B. W. Kooi, and M. P. Boer. Ecological consequences of global bifurcations in some food chain models. *Math. Biosci.*, 226:120–133, 2010. .
- [370] M. Alunno-Bruscia, Y. Bourlès, D. Maurer, S. Robert, J. Mazurié, A. Gangnery, P. Gouletquer, and S. Pouvreau. A single bio-energetics growth and reproduction model for the oyster *Crassostrea gigas* in six Atlantic ecosystems. *J. Sea Res.*, 66:340–348, 2011.
- [371] M. Alunno-Bruscia, H. van der Veer, and S. A. L. M. Kooijman. The AquaDEB project: Physiological flexibility of aquatic animals analysed with a generic dynamic energy budget model (phase II). *J. Sea Res.*, 66:263–269, 2011. .

- [372] B. Ananthasubramaniam, R.M. Nisbet, W.A. Nelson, E. McCauley, and W. S. C. Gurney. Stochastic growth reduces fluctuations in interacting consumer and resource populations. *Ecology*, 92:362–372., 2011.
- [373] B. Ananthasubramaniam, R. M. Nisbet, D. Morse, and F. J. Doyle. Integrate-and-fire models of insolation-driven entrainment of broadcast spawning in corals. *Theoretical Ecology*, 4:69–85, 2011.
- [374] S. Augustine, B. Gagnaire, C. Adam, and S. A. L. M. Kooijman. Developmental energetics of zebrafish, *Danio rerio*. *Comp. Physiol. Biochem. A*, 159:275–283, 2011. .
- [375] S. Augustine, M. K. Litvak, and S. A. L. M. Kooijman. Stochastic feeding in fish larvae and their metabolic handling of starvation. *J. Sea Res.*, 66:411–418, 2011. .
- [376] R. Ashauer, A. Agatz, C. Albert, V. Ducrot, N. Galic, A. J. Hendriks, T. Jager, A. Kretschmann, I. O’Connor, M. N. Rubach, A. M. Nyman, W. Schmitt, J. Stadnicka, P.J. van den Brink, and T. G. Preuss. Toxicokinetic-toxicodynamic modelling of quantal and graded sub-lethal endpoints - a brief discussion of concepts. *Environ. Toxicol. Chem.*, 30:2519–2524, 2011. .
- [377] L. Barillé, A. Lerouxel, M. Dutertre, J. Haure, A.-L. Barillé, S. Pouvreau, and M. Alunno-Bruscia. Growth of the Pacific oyster (*Crassostrea gigas*) in a high-turbidity environment: comparison of model simulations based on Scope For Growth and Dynamic Energy Budgets. *J. Sea Res.*, 66:392–402, 2011.
- [378] I. Bernard, G. de Kermoyan, and S. Pouvreau. Effect of phytoplankton and temperature on the reproduction of the Pacific oyster *Crassostrea gigas*: investigation through DEB theory. *J. Sea Res.*, 66:349–360, 2011.
- [379] D. Bontje, B. W. Kooi, and B. van Hattum. Sub-lethal toxic effects in a generic aquatic system. *Ecotox. Environ. Saf.*, 74:929–939, 2011. .
- [380] P. J. Edmunds, H. M. Putnam, R. M. Nisbet, and E. B. Muller. Benchmarks in organism performance and their use in comparative analyses. *Oecologia*, 167:379–390, 2011. to appear.
- [381] M. Eichinger, J.-C. Poggiale, and R. Sempéré. Toward a mechanistic approach to modeling bacterial doc pathways: A review. In N. Jiao, F. Azam, and S. Sanders, editors, *Microbial carbon pump in the ocean.*, pages 66–68. Science/AAAS Custom Publishing, 2011.
- [382] B. Einarsson, B. Birnir, and S. Sigurðsson. A dynamic energy budget (DEB) model for the energy usage and reproduction of the Icelandic capelin (*Mallotus villosus*). *J. Theor. Biol.*, 281:1–8, 2011.
- [383] A. Emmery, S. Lefebvre, M. Alunno-Bruscia, and S. A. L. M. Kooijman. Understanding the dynamics of ¹³C and ¹⁵N in soft tissues of the oyster *Crassostrea gigas* facing environmental fluctuations in the context of Dynamic Energy Budgets (DEB). *J. Sea Res.*, 66:361–371, 2011. .
- [384] Y. Eynaud, R. M. Nisbet, and E. B. Muller. Impact of harmful radiation on energy budgets in scleratinian corals. *Ecol. Modell.*, 222:1315–1322, 2011. .
- [385] R. Fablet, L. Pecquerie, H. De Pontual, H. Hoie, R. Millner, H. Mosegaard, and S. A. L. M. Kooijman. Shedding light on fish otolith biomineralisation using a bioenergetic approach. *PLoSOne*, 6:e27055, 2011. .
- [386] R. Filgueira, R. Rosland, and J. Grant. A comparison of Scope For Growth (SFG) and Dynamic Energy Budget (DEB) models applied to the blue mussel (*Mytilus edulis*). *J. Sea Res.*, 66:403–410, 2011.
- [387] J. Fort, W. Porter, and D. Grémillet. Energetic modelling: A comparison of the different approaches used in seabirds. *Comp. Biochem. Physiol. A*, 158:358–365, 2011.
- [388] V. Freitas. *Climate induced changes in estuarine predator-prey systems: a DEB approach*. PhD thesis, Vrije Universiteit, Amsterdam, 2011. .
- [389] V. Freitas, K. Lika, J. I.J. Witte, and H. van der Veer. Food conditions of the sand goby *Pomatoschistus minutus* in shallow waters: an analysis in the context of Dynamic Energy Budget theory. *J. Sea Res.*, 66:440–446, 2011. .
- [390] A. Handå, M. Alver, C. V. Edvardsen, S. Halstensen, A. J. Olsen, G. Iec, K. I. Reitan, Y. Olsen, and H. Reinertsen. Growth of farmed blue mussels (*Mytilus edulis* L.) in a norwegian coastal area; comparison of food proxies by deb modeling. *J. Sea Res.*, 66:297–307, 2011.
- [391] T. Jager, C. Albert, T. Preuss, and R. Ashauer. General unified threshold model of survival - a toxicokinetic-toxicodynamic framework for ecotoxicology. *Environ. Sci. Technol.*, 45:2529–2540, 2011. .
- [392] T. Jager and H. Selck. Interpreting toxicity data in a DEB framework; a case study for nonylphenol in the marine polychaete *Capitella teleta*. *J. Sea Res.*, 66:456–462, 2011. .
- [393] M. Jusup, T. Klanjscek, H. Matsuda, and S. A. L. M. Kooijman. A full lifecycle bioenergetic model for bluefin tuna. *Plos Biology*, 6:e21903, 2011. .
- [394] T. Klanjscek, R. M. Nisbet, J. H. Priester, and P. A. Holden. Relating toxicant exposure to bacterial population dynamics by modeling intracellular processes. *PLoS ONE*, 2011. subm.
- [395] B. W. Kooi, G. A. K. van Voorn, and K. Pada Das. Stabilization and complex dynamics in a predator-prey model with predator suffering from an infectious disease. *Ecological Complexity*, 8:113–122, 2011. .
- [396] S. A. L. M. Kooijman, L. Pecquerie, S. Augustine, and M. Jusup. Scenarios for acceleration in fish development and the role of metamorphosis. *J. Sea Res.*, 66:419–423, 2011. .
- [397] M. Li, K. J. Czymmek, and C. P. Huang. Responses of *Ceriodaphnia dubia* to tio₂ and al₂o₃ nanoparticles: A dynamic nano-toxicity assessment of energy budget distribution. *J. Haz. Mat.*, 187:502–508, 2011.
- [398] K. Lika, M. R. Kearney, V. Freitas, H. W. van der Veer, J. van der Meer, J. W. M. Wijsman, L. Pecquerie, and S. A. L. M. Kooijman. The ‘covariation method’ for estimating the parameters of the standard Dynamic Energy Budget model I: philosophy and approach. *J. Sea Res.*, 66:270–277, 2011. .

- [399] K. Lika, M. R. Kearney, and S. A. L. M. Kooijman. The ‘covariation method’ for estimating the parameters of the standard Dynamic Energy Budget model II: properties and preliminary patterns. *J. Sea Res.*, 66:278–288, 2011. .
- [400] K. Lika and S. A. L. M. Kooijman. The comparative topology of energy allocation in budget models. *J. Sea Res.*, 66:381–391, 2011. .
- [401] J. van der Meer, H. van der Veer, and J. IJ. Witte. The disappearance of the European eel from the western Wadden Sea. *J. Sea Res.*, 66:434–439, 2011. .
- [402] E. B. Muller. Synthesizing units as modeling tool for photosynthesizing organisms with photoinhibition and nutrient limitation. *Ecol. Modell.*, 222:637–644, 2011.
- [403] E. B. Muller, B. Ananthasubramaniam, T. Klanjšček, and R. M. Nisbet. Tentrationment of cell division in phytoplankton with dynamic energy budgets. *J. Sea Res.*, 66:447–455, 2011.
- [404] L. Pecquerie, L. R. Johnson, S. A. L. M. Kooijman, and R. M. Nisbet. Analyzing variations in life-history traits of Pacific salmon in the context of Dynamic Energy Budget (DEB) theory. *J. Sea Res.*, 66:424–433, 2011. .
- [405] R. Rosland, C. Bacher, Ø. Strand, J. Aure, and T. Strohmeier. Modelling growth variability in longline mussel farms as a function of stocking density and farm design. *J. Sea Res.*, 66:318–330, 2011.
- [406] G. Sarà, M. R. Kearney, and B. Helmuth. Combining heat-transfer and energy budget models to predict thermal stress in mediterranean intertidal mussels. *Chem. Ecol.*, 27:135–145, 2011.
- [407] S. Saraiva, J. van der Meer, S. A. L. M. Kooijman, and T. Sousa. DEB parameter estimation for *Mytilus edulis*. *J. Sea Res.*, 66:289–296, 2011. .
- [408] S. Saraiva, J. van der Meer, S. A. L. M. Kooijman, and T. Sousa. Modelling feeding processes in bivalves; a mechanistic approach. *Ecol. Modelling*, 222:514–523, 2011. .
- [409] C. Svendsen, T. Jager, S. Haddad, R. S. H. Yang, J. L. C. M. Dorne, M. Broerse, and P. Kramarz. Toxicokinetics and toxicodynamics. In C. A. M. et al. Van Gestel, editor, *Mixture Toxicity. Linking approaches from ecological and human toxicology*. CRC Press, Boca Raton, FL, US., 2011.
- [410] Y. Thomas, P. Garen, and S. Pouvreau. Application of a bioenergetic growth model to larvae of the pearl oyster *Pinctada margaritifera* l. *J. Sea Res.*, 66:331–339, 2011.
- [411] Y. Thomas, J. Mazurié, M. Alunno-Bruscia, C. Bacher, J.-F. Bouget, S. Gohinand F., Pouvreau, and C. Struski. Modelling spatio-temporal variability of *Mytilus edulis* (L.) growth by forcing a dynamic energy budget model with satellite-derived environmental data. *J. Sea Res.*, 66:308–317, 2011.
- [412] C. R. White, M. R. Kearney, P. G. D. Matthews, S. A. L. M. Kooijman, and D. J. Marshall. A manipulative test of competing theories for metabolic scaling in animals. *Am. Nat.*, 178:746–754, 2011. .
- [413] J. W. M. Wijsman and A. C. Smaal. Growth of cockles (*Cerastoderma edule*) in the Oosterschelde described by a Dynamic Energy Budget model. *J. Sea Res.*, 66:372–380, 2011.
- [414] J. F. Wren, P. Kille, D. Spurgeon, , S. Swain, S. R. Sturzenbaum, and T. Jager. Application of physiologically based modelling and transcriptomics to probe the systems toxicology of aldicarb for *Caenorhabditis elegans* (maupas 1900). *Ecotoxicology*, 20:397–408, 2011. .
- [415] J.-M. Zaldivar and J. Baraibar. A biology-based dynamic approach for the reconciliation of acute and chronic toxicity tests: Application to daphnia magna. *Chemosphere*, 11:1547–1555, 2011.
- [416] J.-M. Zaldivar, D. Marinov, S. Dueri, J. Castro-Jiménez, C. Micheletti, and A. P. Worth. An integrated approach for bioaccumulation assessment in mussels: Towards the development of environmental quality standards for biota. *Ecotox. Envir. Saf.*, 74:244–252, 2011.
- [417] S. Augustine. *Metabolic programming of zebra fish, Danio rerio, uncovered; physiological performance as explained by Dynamic Energy Budget theory and life cycle consequences of uranium induced perturbations*. PhD thesis, Université Aix-Marseille I and Vrije Universiteit, Marseille and Amsterdam, 2012. .
- [418] S. Augustine, B. Gagnaire, C. Adam-Guillermin, and S. A. L. M. Kooijman. Effects of uranium on the metabolism of zebrafish, *Danio rerio*. *Aquat. Toxicol.*, 118–119:9–26, 2012. .
- [419] A. Emmery. *Influence of the trophic environment and metabolism on the dynamics of stable isotopes in the Pacific oyster (Crassostrea gigas): modeling and experimental approaches*. PhD thesis, Cean University and VU-Universiteit Amsterdam, Amsterdam, 2012. .
- [420] M. Fréchette. Self-thinning, biodeposit production, and organic matter input to the bottom in mussel suspension culture. *J. Sea Res.*, 67:10–20, 2012.
- [421] Fréchette. A model of clearance rate regulation in mussels. *J. Sea Res.*, 73:32–40, 2012.
- [422] V. Freitas, S. A. L. M. Kooijman, and H. W. van der Veer. Latitudinal trends in habitat quality of shallow water flatfish nurseries. *MEPS*, 471:203–214, 2012. .
- [423] T. Jager and E. I. Zimmer. Simplified dynamic energy budget model for analysing ecotoxicity data. *Ecol. Mod.*, 225:74–81, 2012. .
- [424] M. Kearney. Metabolic theory, life history and the distribution of a terrestrial ectotherm. *Functional Ecology*, 26:167–179, 2012.
- [425] M. Kearney, S. Simpson, D. Raubenheimer, and S. A. L. M. Kooijman. Balancing nutrients, water and heat in the face of environmental change: a thermodynamic niche framework. *Functional Ecol.*, doi: 10.1111/1365-2435.12020, 2012. .
- [426] C. Klok, M. Hjorth, and I. Dahllöf. Qualitative use of dynamic energy budget theory in ecotoxicology. case study on oil contamination and arctic copepods. *J. Sea Res.*, 73:24–31, 2012.
- [427] S. A. L. M. Kooijman. Energy budgets. In A. Hastings and L. Gross, editors, *Sourcebook in Theoretical Ecology*, pages 249–258. University of California Press, 2012. .

- [428] B. Martin, E. Zimmer, V. Grimm, and T. Jager. Dynamic energy budget theory meets individual-based modelling: a generic and accessible implementation. *Methods in Ecology and Evolution*, 3:445–449, 2012. .
- [429] C. Mueller, A. Augustine, S. A. L. M. Kooijman, M. R. Kearney, and R. Seymore. The trade-off between maturation and growth during accelerated development in frogs. *Comp. Physiol. Biochem. A*, 163:103–110, 2012. .
- [430] R. M. Nisbet, M. Jusup, T. Klanjscek, and L. Pecquerie. Integrating Dynamic Energy Budget (DEB) theory with traditional bioenergetic models. *Journal of Experimental Biology*, 215:892–902, 2012. *subm.*
- [431] L. Pecquerie, R. Fablet, P. Petitgas, M. Alunno-Bruscia, and S. A. L. M. Kooijman. Reconstructing individual food and growth histories from calcified structures of aquatic organisms. *Mar. Ecol. Prog. Ser.*, 447:151–164, 2012. .
- [432] S. Saraiva, J. van der Meer, S. A. L. M. Kooijman, R. Witbaard, C. J. M. Philippart, D. Hippler, and R. Parker. Validating a DEB model for a blue mussel. *MEPS*, 463:141–158, 2012. .
- [433] G. Sará, G. Reid, A. Rinaldi, V. Palmeri, M. Troell, and S. A. L. M. Kooijman. Growth and reproduction simulation of candidate shellfish species at fish cages in the southern mediterranean: Dynamic energy budget (deb) modelling for integrated multi-trophic aquaculture. *Aquaculture*, 324-325:259–266, 2012. .
- [434] E. Sperfeld, D. Martin-Creuzburg, and W. Alexander. Multiple resource limitation theory applied to herbivorous consumers: Liebig’s minimum rule vs. interactive co-limitation. *Ecol. Letters*, 15:142–150, 2012.
- [435] L. R. Teal, R. van Hal, T. van Kooten, P. Ruardij, and A. D. Rijnsdorp. Bio-energetics underpins the spatial response of north sea plaice (*Pleuronectes platessa* L.) and sole (*Solea solea* L.) to climate change. *Global Change Biology*, 18:3291–3305, 2012.
- [436] E. I. Zimmer, T. Jager, V. Ducrot, and S. A. L. M. Kooijman. Juvenile food limitation in standard tests: a warning to ecotoxicologists. *Ecotoxicology*, 21:2195–2204, 2012. .
- [437] T. Dabrowski, K. Lyons, M. Curé, A. Berry, and G. Nolan. Numerical modelling of spatio-temporal variability of growth of *Mytilus edulis* (L.) and influence of its cultivation on ecosystem functioning. *J. Sea Res.*, 76:5–21, 2013.
- [438] B. H. Hansen, D. Altin, I. B. Øverjordet, T. Jager, and T. Nordtug. Acute exposure of water soluble fractions of marine diesel on arctic *Calanus glacialis* and boreal *Calanus finmarchicus*: Effects on survival and biomarker response. *Science of the Total Environment*, 449:276–284, 2013. .
- [439] T. Jager. All individuals are not created equal; accounting for inter-individual variation in fitting life-history responses to toxicants. *Environmental Science & Technology*, 47:1664–1669, 2013. .
- [440] T. Jager, A. Barsi, and V. Ducrot. Hormesis on life-history traits: is there such thing as a free lunch? *Ecotoxicology*, 22:263–270, 2013. .
- [441] T. Jager and B. H. Hansen. Linking survival and biomarker responses over time. *Environ. Toxicol. Chem.*, 32:1842–1845, 2013. .
- [442] T. Jager, B. T. Martin, and E. I. Zimmer. Debkiss or the quest for the simplest generic model of animal life history. *Journal of Theoretical Biology*, 328:9–18, 2013. .
- [443] L. R. Johnson, L. Pecquerie, and Nisbet R. M. Bayesian inference for bioenergetic models. *Ecology*, 94:882–984, 2013.
- [444] M. R. Kearney. Activity restriction and the mechanistic basis for extinctions under climate warming. *Ecology Letters*, 2013. DOI 10.1111/ele.12192.
- [445] S. A. L. M. Kooijman. Waste to hurry: Dynamic energy budgets explain the need of wasting to fully exploit blooming resources. *Oikos*, 122:348–357, 2013. .
- [446] S. A. L. M. Kooijman. Yolky eggs prepare for metabolic acceleration. *J. Math. Biol.*, 66:795–805, 2013. .
- [447] S. A. L. M. Kooijman. Erratum to: Yolky eggs prepare for metabolic acceleration. *J. Math. Biol.*, 67:1019–1021, 2013. .
- [448] B. Martin. *Linking individual-based models and Dynamic Energy Budget Theory: lessons for ecology and ecotoxicology*. PhD thesis, VU University Amsterdam & Potsdam Univ., 2013. , to appear.
- [449] B. Martin, T. Jager, R. M. Nisbet, T. G. Preuss, and V. Grimm. Predicting population dynamics from the properties of individuals: a cross-level test of dynamic energy budget theory. *American Naturalist*, 181:506–519, 2013. .
- [450] B. Martin, T. Jager, R. M. Nisbet, T. G. Preuss, H. Hammers-Wirtz, and V. Grimm. Extrapolating ecotoxicological effects from individuals to populations: a dynamic approach based on Dynamic Energy Budget theory and individual-based modelling. *Ecotoxicology*, 22:574–583, 2013. .
- [451] O. Maury and J.-C. Poggiale. From individuals to populations to communities: A dynamic energy budget model of marine ecosystem size-spectrum including life history diversity. *Journal of Theoretical Biology*, 324:52–71, 2013.
- [452] N. Mitchell, M. R. Hipsey, S. Arnall, G. McGrath, H. B. Tareque, G. Kuchling, R. Vogwill, M. Sivapalan and W. P. Porter, and M. R. Kearney. Linking eco-energetics and eco-hydrology to select sites for the assisted colonization of australia’s rarest reptile. *Biology*, 2:1–25, 2013.
- [453] G. Sará, V. Palmeri, V. Montalto, A. Rinaldi, and J. Widdows. Parametrisation of bivalve functional traits for mechanistic eco-physiological dynamic energy budget (DEB) models. *Marine Ecology Progress Series*, 480:99–117, 2013.
- [454] D. Serpa, P. Pouso Ferreira, H. Ferreira, L. Cancela da Fonseca, M. T. Dinis, and P. Duarte. Modelling the growth of white seabream (*Diplodus sargus*) and gilthead seabream (*Sparus aurata*) in semi-intensive earth production ponds using the dynamic energy budget approach. *Journal of Sea Research*, 76:135–145, 2013. doi:10.1016/j.seares.2012.08.003.
- [455] D. Serpa, P. Pous ao Ferreira, M. Caetano, L. Cancela da Fonseca, M. Teresa Dinis, and P. Duarte. A coupled biogeochemical-dynamic energy budget model as a tool for managing fish production ponds. *Science of the Total Environment*, 463464:861–874, 2013.

- [456] E. Zimmer. *The pond snail under stress: interactive effects of food limitation, toxicants and copulation explained by Dynamic Energy Budget theory*. PhD thesis, VU University Amsterdam, 2013. .
- [457] S. Augustine, C. Jaspers, S. A. L. M. Kooijman, F. Carlotti, J.-C. Poggiale, V. Freitas, H. van der Veer, and L. van Walraven. Mechanisms behind the metabolic flexibility of an invasive comb jelly. *J. Sea Res.*, 94:156–165, 2014. .
- [458] S. Augustine, S. Rosa, S. A. L. M. Kooijman, F. Carlotti, and J.-C. Poggiale. Modelling the eco-physiology of the purple mauve stinger, *Pelagia noctiluca* using Dynamic Energy Budget theory. *J. Sea Res.*, 94:156–165, 2014. .
- [459] A. Barsi, T. Jager, M. Collinet, L. Lagadic, and V. Ducrot. Considerations for test design to accommodate energy-budget models in ecotoxicology: a case study for acetone in the pond snail *lymnaea stagnalis*. *Environ. Toxicol. Chem.*, 33:1466–1475, 2014. .
- [460] P. S Dutta, B. W. Kooi, and U. Feudel. Multiple resource limitation: Non-equilibrium coexistence of species in a competition model using a synthesizing unit. *Theoretical Ecology*, 7:407–421, 2014. .
- [461] T. Jager, A. Barsi, N. T. Hamda, B. T. Martin, E. I. Zimmer, and V. Ducrot. Dynamic energy budgets in population ecotoxicology: applications and outlook. *Ecol. Mod.*, 280:140–147, 2014. .
- [462] T. Jager, E. M. Gudmundsdóttir, and N. Cedergreen. Dynamic modeling of sub-lethal mixture toxicity in the nematode *caenorhabditis elegans*. *Environmental Science & Technology*, 48:7026–7033, 2014. .
- [463] T. Jusup, M. Klansšček, and H. Matsuda. Simple measurements reveal the feeding history, the onset of reproduction, and energy conversion efficiencies in captive bluefin tuna. *J Sea Res*, 94:144–155, 2014.
- [464] C. Klok, T. Nordtug, and J. E. Tamis. Estimating the impact of petroleum substances on survival in early life stages of cod (*gadus morhua*) using the dynamic energy budget theory. *Mar Environ Res*, 101:60–68, 2014.
- [465] J. W. M. Klok, C. and WiKlok, K. Kaag, and E. Foekema. Effects of CO₂ enrichment on cockle shell growth interpreted with a Dynamic Energy Budget model. *J Sea Res*, 94:111–116, 2014.
- [466] S. A. L. M. Kooijman. Metabolic acceleration in animal ontogeny: an evolutionary perspective. *J. Sea Res.*, 94:128–137, 2014. .
- [467] S. A. L. M. Kooijman and K. Lika. Resource allocation to reproduction in animals. *Biol. Rev.*, 89:849–859, 2014. .
- [468] S. A. L. M. Kooijman and K. Lika. Comparative energetics of the 5 fish classes on the basis of dynamic energy budgets. *J. Sea Res.*, 94:19–28, 2014. .
- [469] P. S. Larsen, R. Filgueira, and H. U. Riisgøard. Somatic growth of mussels *Mytilus edulis* in field studies compared to predictions using BEG, DEB, and SFG models. *J. Sea Res.*, 2014.
- [470] R. Lavaud. *Environmental variability and energetic adaptability of the great scallop, Pecten maximus, facing climate change*. PhD thesis, VU University Amsterdam, Univ. Brest, 2014. .
- [471] R. Lavaud, J. Flye-Sainte-Marie, F. Jean, A. Emery, O. Strand, and S. A. L. M. Kooijman. Feeding and energetics of the great scallop, *Pecten maximus*, through a deb model. *J. Sea Res.*, 94:5–18, 2014. .
- [472] K. Lika, S. Augustine, L. Pecquerie, and S. A. L. M. Kooijman. The bijection from data to parameter space with the standard deb model quantifies the supply-demand spectrum. *J. Theor. Biol.*, 354:35–47, 2014. .
- [473] K. Lika, S. A. L. M. Kooijman, and N. Pappandroulakis. Metabolic acceleration in mediterranean perciformes. *J. Sea Res.*, 94:37–46, 2014. .
- [474] J. Maino, M. Kearney, R. M. Nisbet, and S. A. L. M. Kooijman. Reconciling theories for metabolic scaling. *J. Anim. Ecol.*, 83:20–29, 2014. .
- [475] G. M. Marques, M. Mateus, and T. Domingos. Can we reach consensus between marine ecological models and DEB theory? a look at primary producers. *J. Sea Res.*, 94:19–28, 2014. .
- [476] B. Martin, T. Jager, R. M. Nisbet, T. G. Preuss, and V. Grimm. Limitations of individual to population extrapolation of toxic stress. *Ecological Applications*, 28:1972–1983, 2014. .
- [477] A. Matzelle, V. Montalto, G. Sarà, M. Zippay, and B. Helmuth. Dynamic energy budget model parameter estimation for the bivalve *Mytilus californianus*: Application of the covariation method. *J. Sea Res.*, 94:105–110, 2014.
- [478] J. van der Meer, C. Klok, M. R. A. Kearney, J. W. M. Wijsman, and S. A. L. M. Kooijman. 35 years of deb research. *J. Sea Res.*, 94:1–4, 2014. .
- [479] J. v.d. Meer and S. A. L. M. Kooijman. Inference on the energetics of deep-sea fish that cannot be aged: the case of hagfish. *J. Sea Res.*, 94:138–143, 2014. .
- [480] C. J. Monaco, D. S. Wethey, and B. Helmuth. A dynamic energy budget (deb) model for the keystone predator *Pisaster ochraceus*. *PLOS one*, 9:e104658, 2014.
- [481] V. Montalto, V. Palmeri, A. Rinaldi, S. A. L. M. Kooijman, and G. Sara. Dynamic Energy Budget parameters of *Brachidontes pharaonis*, a lessepsian bivalve in the Mediterranean Sea. *J. Sea Res.*, 94:47–51, 2014. .
- [482] E. B. Muller, S. K. Hanna, H. S. Lenihan, R. J. Miller, and R. M. Nisbet. Impact of engineered zinc oxide nanoparticles on the energy budgets of *Mytilus galloprovincialis*. *J Sea*, 94:29–36, 2014.
- [483] E. B. Muller and R. M. Nisbet. Dynamic energy budget modeling reveals the potential of future growth and calcification for the coccolithophore *emiliana huxleyi* in an acidified ocean. *Global Change Biology*, page DOI:10.1111/gcb.12547, 2014.
- [484] A. Rinaldi, V. Montalto, K. Lika, M. SanLika, A. Manganaro, and Sarà. Estimation of dynamic energy budget parameters for the Mediterranean toothcarp (*Aphanius fasciatus*). *J Sea Res*, 94:65–70, 2014.
- [485] S. Saraiva. *Modelling bivalves in estuaries and coastal areas*. PhD thesis, VU University Amsterdam & Lisbon University, 2014. .

- [486] S. Saraiva, J. van der Meer, S. A. L. M. Kooijman, and P. Ruardij. Bivalves: from individual to population modelling. *J. Sea Res.*, 94:71–83, 2014. .
- [487] C. M. G. L. Teixeira, T. Sousa, G. M. Marques, T. Domingos, and S. A. L. M. Kooijman. A new perspective on the growth pattern of the wandering albatross (*Diomedea exulans*) through deb theory. *J. Sea Res.*, 94:117–127, 2014. .
- [488] C. R. White and M. R. Kearney. Metabolic scaling in animals: Methods, empirical results, and theoretical explanations. *Compr. Physiol.*, 4:231–256, 2014.
- [489] E. Zimmer, V. Ducrot, T. Jager, J. Koene, L. Lagadic, and S. A. L. M. Kooijman. Metabolic acceleration in the pond snail *Lymnaea stagnalis*? *J. Sea Res.*, 94:84–91, 2014. .
- [490] Bharath Ananthasubramaniam, Edward McCauley, Kurt A. Gust, Alan J. Kennedy, Erik B. Muller, Edward J. Perkins, and Roger M. Nisbet. Relating suborganismal processes to ecotoxicological and population level endpoints using a bioenergetic model. *Ecological Applications*, 25(6):1691–1710, 2015.
- [491] S. Augustine, S. Pereira, M. Floriani, V. Camilleri, S. A. L. M. Kooijman, B. Gagnaire, and C. Adam-Guillermin. Effects of chronic exposure to environmentally relevant concentrations of waterborne uranium on the digestive tract of zebrafish, *Danio rerio*. *J. Envir. Radioactivity*, 142:45–53, 2015. .
- [492] J. Baas and S. A. L. M. Kooijman. Sensitivity of animals to chemical compounds links to metabolic rate. *Ecotoxicology*, 24:657–663, 2015. .
- [493] A. Barsi. *Towards understanding the effects of putative endocrine disruptors in the pond snail: experimental and TKTD modelling approaches*. PhD thesis, VU University Amsterdam & Rennes University, 2015. .
- [494] R. Beaudouin, B. Goussen, B. Piccini, S. Augustine, J. Devillers, F. Brion, and A. R. R. Péry. An individual-based model of zebrafish population dynamics accounting for energy dynamics. *PloS one*, 10(5), 2015.
- [495] B. Goussen, R. Beaudouin, M. Dutilleul, A. Buisset-Goussen, J. M. Bonzom, and A. R. R. Péry. Energy-based modelling to assess effects of chemicals on caenorhabditis elegans: a case study on uranium. *Chemosphere*, 120:507–514, 2015.
- [496] T. Jager and E. Ravagnan. Parameterising a generic model for the dynamic energy budget of antarctic krill, *Euphausia superba*. *Ecol. Propgr. Ser.*, 519:115–128, 2015. .
- [497] T. Jager, I. Salaberria, and B. H. Hansen. Capturing the life history of the marine copepod *Calanus sinicus* into a generic bioenergetics framework. *Ecol. Mod.*, 299:114–120, 2015. .
- [498] M. Kearney, T. Domingos, and R. Nisbet. Dynamic energy budget theory: An efficient and general theory for ecology. *Functional Ecology*, 65:341–341, 2015.
- [499] S. A. L. M. Kooijman. *A trilogy on a case study in Theoretical Biology*. VU University Press, 2015. .
- [500] Romain Lavaud, Megan LaPeyre, Sandra M. Casas Liste, Cedric Bacher, and Jerome LaPeyre. Quantifying physiological response of eastern oyster, *Crassostrea virginica*, to regional environmental variability using the dynamic energy budget theory. *Journal of Shellfish Research*, 34(2):651–651, 2015.
- [501] A. L. Llandres, G. M. Marques, J. Maino, S. A. L. M. Kooijman, M. R. Kearney, and J. Casas. A dynamic energy budget for the whole life-cycle of holometabolous insects. *Ecological Monographs*, 85:353–371, 2015. .
- [502] J. Maino. *The importance of body size: scaling of physiological traits in insects*. PhD thesis, VU University Amsterdam & University of Melbourne, 2015. .
- [503] James L. Maino and Michael R. Kearney. Ontogenetic and interspecific scaling of consumption in insects. *Oikos*, 124(12):1564–1570, 2015.
- [504] James L. Maino and Michael R. Kearney. Testing mechanistic models of growth in insects. *Proceedings of the Royal Society B-Biological Sciences*, 282(1819):20151973, 2015.
- [505] J. van der Molen, J. van Beek, S. Augustine, L. Vansteenbrugge, L. van Walraven, V. Langenberg, H. W. van der Veer, K. Hostens, S. Pitois, and J. Robbens. Modelling survival and connectivity of *mnemiopsis leidyi* in the south-western north sea and scheldt estuaries. *Ocean Sci.*, 11:405–424, 2015.
- [506] V. Montalto, A. Rinaldi, and G. Sara. Life history traits to predict biogeographic species distributions in bivalves. *Science of Nature*, 102(9):61, 2015.
- [507] Dimitrios V. Politikos, Martin Huret, and Pierre Petitgas. A coupled movement and bioenergetics model to explore the spawning migration of anchovy in the bay of biscay. *Ecological Modelling*, 313:212–222, 2015.
- [508] A. Aguera, M. Collard, Q. Jossart, C. Moreau, and B. Danis. Parameter estimations of dynamic energy budget (deb) model over the life history of a key antarctic species: The antarctic sea star *odontaster validus koehler*, 1906. *PlosOne*, 10:e0140078, 2016.
- [509] Peter L. Antonelli, Solange F. Rutz, Paul W. Sammarco, and Kevin B. Strychar. Evolution of symbiosis in hermatypic corals: A model of the past, present, and future. *Nonlinear Analysis-Real World Applications*, 32:389–402, 2016.
- [510] N. Cedergreen, N. J. Nørhave, C. Svendsen, and D. J. Spurgeon. Variable temperature stress in the nematode *Caenorhabditis elegans* (maupas) and its implications for sensitivity to an additional chemical stressor. *PloS ONE*, 11:e0140277, 2016.
- [511] Huanhuan Dong, Li He, and Hongwei Lu. Characterization of integrated noises driving bacterial degradation kinetics in the water environment by fourier transform algorithm. *Stochastic Environmental Research and Risk Assessment*, 30(1):343–351, 2016.
- [512] R. Filgueira, J. M. Chapman, C. D. Suski, and S. J. Cooke. The influence of watershed land use cover on stream fish diversity and size-at-age of a generalist fish. *Ecological Indicators*, 60:248–257, 2016.
- [513] Marcel Frechette, Jose Manuel Urquiza, Gaetan Daigle, and Dominique Rioux-Gagnon. Clearance rate regulation in mussels: Adding the effect of seston level to a model of internal state-based regulation. *Journal of Experimental Marine Biology and Ecology*, 475:1–10, 2016.

- [514] Benoit Goussen, Oliver R Price, Cecilie Rendal, and Roman Ashauer. Integrated presentation of ecological risk from multiple stressors. *Scientific Reports*, 6:36004, 2016.
- [515] Takehiko I. Hayashi, Yoshitaka Imaizumi, Hiroyuki Yokomizo, Norihisa Tatarazako, and Noriyuki Suzuki. Ecological risk assessment of herbicides in japan: Integrating spatiotemporal variation in exposure and effects using a multimedia model and algal density dynamics models. *Environmental Toxicology and Chemistry*, 35(1):233–240, 2016.
- [516] L. M. Jacobson, P. J. Edmunds, E. B. Muller, and R. M. Nisbet. The implications of reduced metabolic rate in resource-limited corals. *Journal of Experimental Biology*, 219:870–877, 2016.
- [517] T. Jager. *DEBkiss, a simple framework for animal energy budgets*. 2016.
- [518] T. Jager, E. Ravagnan, and S. Dupont. Near-future ocean acidification impacts maintenance costs in sea-urchin larvae: identification of stress factors and tipping points using a deb modelling approach. *J Exp Mar Biol Ecol*, 474:11–178, 2016.
- [519] Charline Leloutre, Alexandre R. R. Pry, Jean-Marc Porcher, and Rmy Beaudouin. A bioenergetics model of the entire life cycle of the three-spined stickleback, *Gasterosteus aculeatus*. *Ecology of Freshwater Fish*, pages n/a–n/a, 2016.
- [520] A. Margerit, E. Gomez, and R. Gilbin. Dynamic energy-based modeling of uranium and cadmium joint toxicity to *Caenorhabditis elegans*. *Chemosphere*, 146:405–412, 2016.
- [521] D. J. McKenzie, M. Axelsson, D. Chabot, G. Claireaux, S. J. Cooke, R. A. Corner, G. De Boeck, P. Domenici, P. M. Guerreiro, B. Hamer, C. Jrgensen, S. S. Killen, S. Lefevre, S. Marras, B. Michaelidis, G. E. Nilsson, M. A. Peck, A. Perez-Ruzafa, A. D. Rijnsdorp, H. A. Shiels, J. F. Steffensen, J. C. Svendsen, M. B. S. Svendsen, L. R. Teal, J. van der Meer, T. Wang, J. M. Wilson, R. W. Wilson, and J. D. Metcalfe. Conservation physiology of marine fishes: state of the art and prospects for policy. *Conservation Physiology*, 4:10.1093/conphys/cow046, 2016.
- [522] N. Marn. *Life cycle and ecology of the loggerhead turtle (Caretta caretta, Linnaeus, 1758): development and application of the Dynamic Energy Budget model*. PhD thesis, Vrije Universiteit & Zagreb University, Amsterdam, 2016. .
- [523] Lin Schwarzkopf, Michael Julian Caley, and Michael R. Kearney. One lump or two? explaining a major latitudinal transition in reproductive allocation in a viviparous lizard. *Functional Ecology*, 30(8):1373–1383, 2016.
- [524] Rossana Sussarellu, Marc Suquet, Yoann Thomas, Christophe Lambert, Caroline Fabioux, Marie Eve Julie Pernet, Nelly Le Goc, Virgile Quillien, Christian Mingant, Yanouk Epelboin, Charlotte Corporeau, Julien Guyomarch, Johan Robbens, Ika Paul-Pont, Philippe Soudant, and Arnaud Huvet. Oyster reproduction is affected by exposure to polystyrene microplastics. *Proceedings of the National Academy of Sciences*, 113(9):2430–2435, 2016.
- [525] Morgana Tagliarolo, Valeria Montalto, Gianluca Sara, Justin A. Lathlean, and Christopher D. McQuaid. Low temperature trumps high food availability to determine the distribution of intertidal mussels *perna perna* in south africa. *Marine Ecology Progress Series*, 558:51–63, 2016.
- [526] C. M. G. L. Teixeira. *Application of Dynamic Energy Budget theory for conservation relevant modelling of bird life histories*. PhD thesis, VU University Amsterdam & Lisbon University, 2016. .
- [527] Yoann Thomas, Franck Dumas, and Serge Andrefouet. Larval connectivity of pearl oyster through biophysical modelling; evidence of food limitation and broodstock effect. *Estuarine Coastal and Shelf Science*, 182:283–293, 2016.
- [528] Yoann T., S. Pouvreau, M. Alunno-Bruscia, L. Barill, F. Gohin, P. Bryèere, and P. Gernez. Global change and climate-driven invasion of the pacific oyster (*Crassostrea gigas*) along european coasts: a bioenergetics modelling approach. *Journal of Biogeography (J. Biogeogr.)*, 43:568–579, 2016.
- [529] Jaap van der Meer. A paradox in individual-based models of populations. *Conservation Physiology*, 4(1), 2016.
- [530] Antonio Agera, In-Young Ahn, Charline Guillamot, and Bruno Danis. A dynamic energy budget (DEB) model to describe *laternula elliptica* (king, 1832) seasonal feeding and metabolism. *PLOS ONE*, 12(8):e0183848, 2017.
- [531] Starrlight Augustine. Maturity as quantifier for physiological time. *Physics of Life Reviews*, 20:40–42, 2017.
- [532] S. Augustine and S. A. L. M. Lika, D. Kooijman. Comment on the ecophysiology of the greenland shark, *somniosus microcephalus*. *Polar Biology*, 2017. to appear.
- [533] Valery E. Forbes, Chris J. Salice, Bjorn Birnir, Randy J. F. Bruins, Peter Calow, Virginie Ducrot, Nika Galic, Kristina Garber, Bret C. Harvey, Henriette Jager, Andrew Kanarek, Robert Pastorok, Steve F. Railsback, Richard Rebarber, and Pernille Thorbek. A framework for predicting impacts on ecosystem services from (sub)organismal responses to chemicals. *Environmental Toxicology and Chemistry*, 36(4):845–859, 2017.
- [534] Antonio Franco, Oliver R Price, Stuart Marshall, Olivier Jolliet, Paul J Van den Brink, Andreu Rico, Andreas Focks, Frederik De Laender, and Roman Ashauer. Toward refined environmental scenarios for ecological risk assessment of down-the-drain chemicals in freshwater environments. *Integrated Environmental Assessment and Management*, 13(2):233–248, 2017.
- [535] Nika Galic and Valery E. Forbes. The role of dynamic energy budget theory in predictive modeling of stressor impacts on ecological systems. *Physics of Life Reviews*, 20:43–45, 2017.
- [536] Nika Galic, Volker Grimm, and Valery E. Forbes. Impaired ecosystem process despite little effects on populations: modeling combined effects of warming and toxicants. *Global Change Biology*, 23(8):2973–2989, 2017.
- [537] Paul Gatti, Pierre Petitgas, and Martin Huret. Comparing biological traits of anchovy and sardine in the bay of biscay: A modelling approach with the dynamic energy budget. *Ecological Modelling*, 348:93–109, 2017.
- [538] Sunana Geek. Autotrophs’ challenge to dynamic energy budget theory: Comment on physics of metabolic organization by marko jusup et al. *Physics of Life Reviews*, 20:46–48, 2017.

- [539] Goedegebuure, J. Melbourne-Thomas, S. P. Corney, M. A. Hindell, and A. J. Constable. Beyond big fish: The case for more detailed representations of top predators in marine ecosystem models. *Ecological Modelling*, 359:182–192, 2017.
- [540] Michal Grossowicz, Gonalo M. Marques, and George A. K. van Voorn. A dynamic energy budget (DEB) model to describe population dynamics of the marine cyanobacterium prochlorococcus marinus. *Ecological Modelling*, 359:320–332, 2017.
- [541] Matthew S. Heard, Jan Baas, Jean-Lou Dorne, Elma Lahive, Alexander G. Robinson, Agnes Rortais, David J. Spurgeon, Claus Svendsen, and Helen Hesketh. Comparative toxicity of pesticides and environmental contaminants in bees: Are honey bees a useful proxy for wild bee species? *The Science of the Total Environment*, 578:357–365, 2017.
- [542] Patricia A. Holden. DEB modeling for nanotoxicology, microbial ecology, and environmental engineering: Comment on: physics of metabolic organization by marko jusup et al. *Physics of Life Reviews*, 20:49–51, 2017.
- [543] Yuichi Iwasaki. More practical and gentler guides are required for non-mathematicians in ecotoxicology and beyond. *Physics of Life Reviews*, 20:52–53, 2017.
- [544] Marko Jusup, Tnia Sousa, Tiago Domingos, Velimir Labinac, Nina Marn, Zhen Wang, and Tin Klanjek. Physics of metabolic organization. *Physics of Life Reviews*, 20:1–39, 2017.
- [545] Marko Jusup, Tnia Sousa, Tiago Domingos, Velimir Labinac, Nina Marn, Zhen Wang, and Tin Klanjek. The universality and the future prospects of physiological energetics: Reply to comments on physics of metabolic organization. *Physics of Life Reviews*, 20, 2017.
- [546] Takashi Kitagawa and Yoshinori Aoki. Viewpoints of high migratory tuna species ecology. *Physics of Life Reviews*, 20:54–56, 2017.
- [547] Petra Klepac. Linking levels of life. *Physics of Life Reviews*, 20:57–59, 2017.
- [548] S. A. L. M. Kooijman. Homeostasis and the fuelling of metabolism; comment on "physics of metabolic organization" by marko jusup et al. *Physics of Life Reviews*, 20:60–62, 2017.
- [549] S. A. L. M. Kooijman. Models in stress research. *Ecological Complexity*, 2017. to appear.
- [550] James L. Maino and Michael R. Kearney. The universality of the von bertalanffy growth curve. *Physics of Life Reviews*, 20:63–65, 2017.
- [551] James L. Maino, Elia I. Pirtle, and Michael R. Kearney. The effect of egg size on hatch time and metabolic rate: theoretical and empirical insights on developing insect embryos. *Functional Ecology*, 31(1):227–234, 2017.
- [552] Nina Marn, S. A. L. M. Kooijman, Marko Jusup, Tarzan Legovi, and Tin Klanjek. Inferring physiological energetics of loggerhead turtle (*Caretta caretta*) from existing data using a general metabolic theory. *Marine Environmental Research*, 126:14–25, 2017.
- [553] Gonalo M. Marques. Constraints and DEB parameter estimation. *Physics of Life Reviews*, 20:66–68, 2017.
- [554] G. M. Marques, S. Augustine, K. Lika, L. Pecquerie, T. Domingos, and S. A. L. M. Kooijman. The amp project: Comparing species on the basis of dynamic energy budget parameters. *PLOS Computational Biology*, 2017. Submitted 2017/09/08.
- [555] G. M. Marques, K. Lika, S. Augustine, L. Pecquerie, and S. A. L. M. Kooijman. Fitting multiple models to multiple data sets. *PLOS Computational Biology*, 2017. Submitted 2017/09/08.
- [556] Leonid M. Martyushev. Entropy production guides energy budget. *Physics of Life Reviews*, 20:69–71, 2017.
- [557] Roger M. Nisbet. Challenges for dynamic energy budget theory. *Physics of Life Reviews*, 20:72–74, 2017.
- [558] Laure Pecquerie and Konstadia Lika. Is reproduction limiting growth? *Physics of Life Reviews*, 20:75–77, 2017.
- [559] Alex Robinson, Helen Hesketh, Elma Lahive, Alice A. Horton, Claus Svendsen, Agnes Rortais, Jean Lou Dorne, Jan Baas, Matthew S. Heard, and David J. Spurgeon. Comparing bee species responses to chemical mixtures: Common response patterns? *PLOS ONE*, 12(6):e0176289, 2017.
- [560] Isabel M. Smallegange, Hal Caswell, Marjolein E. M. Toorians, and Andre M. de Roos. Mechanistic description of population dynamics using dynamic energy budget theory incorporated into integral projection models. *Methods in Ecology and Evolution*, 8(2):146–154, 2017.
- [561] Erik Sperfeld, Nicole D. Wagner, Halvor M. Halvorson, Matthew Malishev, and David Raubenheimer. Bridging ecological stoichiometry and nutritional geometry with homeostasis concepts and integrative models of organism nutrition. *Functional Ecology*, 31(2):286–296, 2017.